



PART NUMBER	NO. OF POS.	DIMENSIONS											
		A±.008[0.20]		B±.008[0.20]		C±.015[0.38]		D±.010[0.25]		E±.020[0.51]		F±.015[0.38]	
		IN	ММ	IN	MM	IN	MM	IN	MM	IN	ММ	IN	MM
M06DS	6	0.780	19.81	1.102	27.99	1.221	31.01	1.534	38.96	1.784	45.31	1.104	28.04
M08DS	8	1.092	27.74	1.414	35.92	1.533	38.94	1.846	46.89	2.096	53.24	1.416	35.97
M10DS	10	1.404	35.66	1.726	43.84	1.845	46.86	2.158	54.81	2.408	61.16	1.728	43.89
M12DS	12	1.716	43.59	2.038	51.77	2.157	54.79	2.470	62.74	2.720	69.09	2.040	51.82
M15DS	15	2.184	55.47	2.506	63.65	2.625	66.68	2.938	74.63	3.188	80.98	2.508	63.70
M18DS	18	2.652	67.36	2.974	75.54	3.093	78.56	3.406	86.51	3.656	92.86	2.976	75.59
M20DS	20	2.964	75.29	3.286	83. 4 6	3.405	86.49	3.718	94.44	3.968	100.79	3.288	83.52
M22DS	22	3.276	83.21	3.598	91.39	3.717	94.41	4.030	102.36	4.280	108.71	3.600	91.44
M24DS	24	3.588	91.14	3.910	99.31	4.029	102.34	4.342	110.29	4.592	116.64	3.912	99.36
M25DS	25	3.744	95.10	4.066	103.28	4.185	106.30	4.498	114.25	4.748	120.60	4.068	103.33
M28DS	28	4.212	106.98	4.534	115.16	4.653	118.19	4.966	126.14	5.216	132.49	4.536	115.21
M30DS	30	4.524	114.91	4.846	123.09	4.965	126.11	5.278	134.06	5.528	140.41	4.848	123.14
M31DS	31	4.680	118.87	5.002	127.05	5.121	130.07	5.434	138.02	5.684	144.37	5.004	127.10
M32DS	32	4.836	122.83	5.158	131.01	5.277	134.04	5.590	141.99	5.840	148.34	5.160	131.06
M36DS	36	5.460	138.68	5.782	146.86	5.901	149.89	6.214	157.84	6.464	164.19	5.784	146.91
M40DS	40	6.084	154.53	6.406	162.71	6.525	165.74	6.838	173.69	7.088	180.04	6.408	162.76
M43D -S	43	6.552	166.42	6.874	174.60	6.993	177.62	7.306	185.57	7.556	191.92	6.876	174.65

MATERIALS (INSULATOR / CONTACT)

E = PBT/PHOSPHOR BRONZE OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: WAVE ONLY

R = PPS/PHOSPHOR BRONZE

OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: 260°C MAX FOR 20 SECS

G = PA9T/PHOSPHOR BRONZE

OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: 260°C MAX FOR 20 SECS

H = PBT/BERYLLIUM COPPER

OPERATING TEMP: -65°C TO +125°C PROCESSING TEMP: WAVE ONLY

A = PPS/BERYLLIUM COPPER

OPERATING TEMP: -65°C TO +150°C PROCESSING TEMP: 260°C MAX FOR 20 SECS

J = PA9T/BERYLLIUM COPPER

OPERATING TEMP: -65°C TO +150°C PROCESSING TEMP: 260°C MAX FOR 20 SECS

T = PPS/BERYLLIUM COPPER (HEAT TREATED)

OPERATING TEMP: -65°C TO +175°C PROCESSING TEMP: 260°C MAX FOR 20 SECS (CONSULT FACTORY FOR OTHER MATERIALS)

MODIFICATION CODE

S273 = FOR .093±.008[2.36±0.20] THICK MATING PCB S664 = FOR .125±.008[3.18±0.20] THICK MATING PCB

MOUNTING STYLE

N = NO MOUNTING EARS (PAGE 2)

D = FLUSH MOUNTING (PAGE 1)

T = FLUSH MOUNTING WITH # 4-40 THREADED INSERT (PAGE 2)

Z = FLUSH MOUNTING WITH SIDE HOLES (PAGE 2)

TERMINATION

RS = .190[4.83] TAIL LENGTH RM = .560[14.20] TAIL LENGTH

NUMBER OF POSITIONS (CONTACTS PER ROW)

PLATING

PART NUMBER CODING

ALL PLATINGS ARE LEAD FREE AND HAVE .000050" NICKEL UNDERPLATE **CONTACT SURFACE TERMINATION**

B = .000010" GOLD C = .000030" GOLD

6

.000100" PURE TIN, MATTE .000100" PURE TIN, MATTE

G = .000010" GOLD.000005" GOLD .000005" GOLD Y = .000030" GOLD

S = .000010" GOLD OVERALL

M = .000030" GOLD .000010" GOLD OVERALL

*E = .000100" PURE TIN, MATTE, OVERALL

* OVERALL TIN ONLY AVAILABLE ON MATERIAL CODES E, R AND G



UNLESS OTHERWISE SPECIFIED: DRAWN DATE NAME DIMENSIONS ARE IN INCHES [MM] THE INFORMATION HEREIN CONTAIN: TOLERANCES: ANGULAR: ± 1° DECIMALS .XX=± .02 [.5] .XXX=± .005 [.13] .XXXX=± .0005 [.013]

3

PROPIETARY INFORMATION OF SULLINS ELECTRONICS AND IS NOT TO BE REPRODUCED, USED OR DISCLOSED TO OTHERS FOR ANY PURPOSE EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY AN OFFICER OF SULLINS ELECTRONICS

ESULLINS

CUSTOMER COPY

EDGECARD, .156 CC, .093 & .125 PCB PART NUMBER ___M__DRS, DRM_-S273, S664

CAGE CODE DWG. NO. 54453 C10747 SCALE: 2:1 SHEET 3 OF 3

FILE NAME: C10747, __M__D___-\$273, \$664, DRM, DRS

REV