


## Socket strip - FL 2-V (2) - 1760912


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

### Why buy this product

- ✓ Space-saving, standardized slip-on connection allows worldwide use
- ✓ Two solder pins reduce the mechanical strain on the soldering spots
- ✓ The latching on the side enables various numbers of positions to be combined
- ✓ Well-known mounting principle allows worldwide use



### Key Commercial Data

Packing unit	1
GTIN	 4 017918 247447
GTIN	4017918247447
Custom tariff number	85369010

### Technical data

#### Dimensions

Pitch	2.5 mm
-------	--------

#### General

Range of articles	FL
Nominal cross section	0 mm <sup>2</sup>
Solder pin surface	Sn
Number of positions	2

#### Standards and Regulations

Connection in acc. with standard	CSA
----------------------------------	-----

#### Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

# Socket strip - FL 2-V (2) - 1760912

## Classifications

### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260704
eCl@ss 7.0	27440490
eCl@ss 8.0	27440402
eCl@ss 9.0	27440402

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC002498
ETIM 5.0	EC002637
ETIM 6.0	EC002637

### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

## Approvals

### Approvals

---

Approvals

CSA / EAC

---

Ex Approvals

---

### Approval details

CSA		<a href="http://www.csagroup.org/services/testing-and-certification/certified-product-listing/">http://www.csagroup.org/services/testing-and-certification/certified-product-listing/</a>	13631
-----	--	---	-------

## Socket strip - FL 2-V (2) - 1760912

### Approvals

EAC



B.01742