ANALOG Product/Process Change Notice - PCN 13_0319 Rev. -

Analog Devices, Inc. Three Technology Way Norwood, Massachusetts 02062-9106

This notice is to inform you of a change that will be made to certain ADI products (see Material Report). Any issues with this PCN or requirements to qualify the change (additional data or samples) must be sent to ADI within 30 days of publication date. ADI contact information is listed below.

PCN Title:	ADL5566 Datasheet Change		
Publication Date:	11-Dec-2013		
Effectivity Date:	11-Dec-2013 (the earliest date that a customer could expect to receive changed material)		

Revision Description:

Description Of Change

For a 5 V supply Changing the enable voltage specification from a typical to a minimum of 1.5 V. Add a disable voltage maximum of 0.6 volts.

For a 3.3 V Supply

Changing the enable voltage specificaton from a typical to a minimum of 1.5 V. Add a disable voltage maximum of 0.5 volts.

Reason For Change

Customers require the enable and disable logic levels have a minimum and maximum specification.

Impact of the change (positive or negative) on fit, form, function & reliability

No impact on fit, form, function, or reliability of the device.

Summary of Supporting Information

Changes will be reflected in revision A of the datasheet.

Supporting Documents None

For questions on this PCN, send email to the regional contacts below or contact your local ADI sales representative						
Americas:	PCN_Americas@analog.com	Europe:	PCN_Europe@analog.com	Japan: Rest of Asia:	PCN_Japan@analog.com PCN_ROA@analog.com	

Appendix A - Affected ADI Models				
Added Parts On This Revision - Product Family / Model Number (1)				
ADL5566 / ADL5566ACPZ-R7				

Appendix B - Revision History				
Rev	Publish Date	Effectivity Date	Rev Description	
Rev	11-Dec-2013	11-Dec-2013		

Analog Devices, Inc.

Docld:2681 Parent Docld:2669 Layout Rev:7