



Business Unit: HARTING Custom Solutions (HCS) **PCN/22/006/C+N-US**
Product Range: Industrial Ethernet Cable **Date: 03/08/2022**
Title: **Cable Change HARTING Ha-VIS EtherRail® Cat 7**

Details of the Product Changes

1. Concerned Part Numbers
See appendix
2. Description of Changes/News
<p>Dear Ladies and Gentlemen,</p> <p>Herewith we would like to inform you about an upcoming change to our HARTING Ha-VIS EtherRail® 4x2xAWG24/7 PIMF Cat. 7 cable. This cable is used in our cable assemblies and is available as raw cable.</p> <p>To improve cable processing, we removed the plastic foil between cable jacket and shielding braid. This change does not influence the technical specifications. During the period of change there might be a mix of old and new assemblies, rings and drums in our stock.</p> <div style="text-align: right; margin-right: 50px;">  </div> <div style="text-align: center; margin-top: 20px;">  </div>
3. Impact on Product Specification
<ul style="list-style-type: none"> • No impact on product specification • Plastic foil is removed
4. Scheduled Date of Implementation
<ul style="list-style-type: none"> • September 2022
5. Identification of Change
<ul style="list-style-type: none"> • New revision level

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

6. Datasheet

For updated specifications and drawings, please check the eCatalogue.

7. Appendix

094560001020901	6630271015700	21330500853080	6630271032002
09456000694	6630271015900	21330500853100	6630271032100
09456000693	6630271015901	21330500853110	6630271032101
09456000692	6630271015903	21330500853120	6630271032102
09456000691	6630271016000	21330500853130	6630271032103
09456000690	6630271016200	21330500853135	6630271032104
33662132950129	6630271016201	21330500853140	6630271032200
33662133200129	6630271016203	21330500853150	6630271032201
33662134100129	6630271016500	21330500853180	6630271032300
33662136500129	6630271016600	21330500853200	6630271032301
33662137700128	6630271016601	21330500853230	6630271032302
7421000023500	6630271016700	21330500853240	6630271032303
7421000023600	6630271016800	21330505853006	6630271032304
7421000023700	6630271016801	21330505853009	6630271032400
7421000023800	6630271016900	21330505853016	6630271032401
7421000023900	6630271017000	21330505853020	6630271032402
7421000024000	6630271017100	21330505853025	6630271032403
7421000024100	6630271017101	21330505853030	6630271032404
7421000024200	6630271017200	21330505853050	6630271032405
7421000024300	6630271017201	21330505853060	6630271032406
7421000024400	6630271017202	21330505853070	6630271032407
7421000024500	6630271017203	21330505853100	6630271032408
7421000024600	6630271017400	21330505853120	6630271032500
7421000024700	6630271017401	21330505853140	6630271032501
7421000024800	6630271017402	21330505853150	6630271032502
7421000024900	6630271017403	21330505853170	6630271032503

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

7421000025000	6630271017404	21330505853180	6630271032504
7421000030100	6630271017405	21330505853190	6630271032505
7421008010900	6630271017500	21330505853200	6630271032506
7421008011000	6630271017600A	21330505853210	6630271034100
7421008011100	6630271017600B	21330505853220	6630271034200
7421008011200	6630271017701A	21330505853230	6630271034300
7421008011300	6630271017701B	21330505853240	6630271034400
7421008011400	6630271017701C	21330505853250	6630271034500
7421008011401	6630271017701D	21330505853260	6630271034600
7421008011700	6630271017702A	21330505853280	6630271034700
7480000291500	6630271017702B	21330505853300	6630271035000
7480000291600	6630271017702C	21330505853340	6630271035100
7480000291700	6630271017702D	21330505853360	6630271035200
7480006266500	6630271017702E	21330505853390	6630271035300
7480016308300	6630271017702F	21330509453005	6630271035400
7480024294400	6630271017702G	21330509453010	6630271035500
7480024302700	6630271017702H	21330509453020	6630271035501
7480024306000	6630271017703A	21330509453040	6630271035700
7480024306100	6630271017703B	21330509453050	6630271035701
7480024306200	6630271017703C	21330509453100	6630271035702
09478229001089	6630271017703D	21330509453110	6630271035703
21405252888005	6630271017704A	21330509453145	6630271035900
094770000010C7	6630271017800	21330509453250	6630271035901
09486262751011	6630271017900	21330509453270	6630271035902
09486262751023	6630271018000	21330509453280	6630271036000
09486262751028	6630271018100	21330509453285	6630271036100
09486262751050	6630271018200	21330509453290	663027103610001
09486262751060	6630271018602	21330509453330	663027103610002
09456000692	6630271018700	21330509453340	6630271037000A

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

09456000693	6630271018701	21330509453380	6630271037000B
09456000694	6630271018702	21330509453400	6630271037100
09457541167021	6630271018703	21330516453002	6630271037200
094716160010B0	6630271018704	21330516453005	6630271037300
094716160011B0	6630271018800	21330516453010	6630271037400
094716160020B0	6630271018900	21330519853003	6630271038300
094716160021B0	6630271019000	21330524853002	6630271038400
094716160030B0	6630271019001	21330524853030	6630271038500
094716160031B0	6630271019300	213305B8853005	6630271038600
094716160040B0	6630271019400	213305B8853010	6630271038700
094716160041B0	6630271019500	213305B8853170	6630271038800
094716840010B0	6630271019600	213305B8853240	6630271038900
094716840011B0	6630271019601	21330700853002	6630271039000
094716840020B0	6630271019603	21330700853003	6630271041600
094716840021B0	6630271019604	21330700853005	6630271041700
094716840030B0	6630271019700	21330700853010	6630271041700A
094716840031B0	6630271019701	21330700853015	6630271041800A
094716840040B0	6630271019801	21330700853020	6630271041800B
094716840041B0	6630271019802	21330700853030	6630271041800C
094716840050B0	6630271019803	21330705853003	6630271041800D
094716840051B0	6630271019804	21330705853012	6630271041800E
09471982001092	6630271019805	21331500853010	6630292004300
09471982002092	6630271019806	21331500853020	6630292004300A
09476300001093	6630271019901	21331500853030	6630292004300B
09476363001074	6630271019902	21331500853040	6630292004300C
09476363002074	6630271020000	21331500853050	6630292004300D
09476363003074	6630271020301	21331500853075	6630292004400
09476363004074	6630271020401	21331500853100	6630292004400A
09476363005074	6630271020501	21331505853050	6630292004400B

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

09477000001	6630271020502	21331505853160	6630292004400C
09477000102017	6630271020503	21331505853190	6630292004400D
094784000010A2	6630271021000	21331505853280	6630292004400E
09478400001130	6630271022000	21331509453002	6630292004401
094784000020A2	6630271023000	21331515853010	6630292004401A
09478400002130	6630271023100	21331515853050	6630292004401B
09478400003130	6630271023200	213315B8853002	6630292004401C
09478400004130	6630271023300	213315B8853020	6630292004500
09478400005130	6630271023400	21331900853010	6630292004500A
09478400006130	6630271023500	21331900853020	6630292004500B
09478400007130	6630271023600	21331900853030	6630292004501
09478400008130	6630271023700A	21331900853050	6630292004501A
09478400009130	6630271023700B	21331900853075	6630292004501B
094784630010C2	6630271023700C	21331900853100	6630292004600
09478484001017	6630271023700D	21332828853010	6630292004600A
09478484001049	6630271023700F	21332900853002	6630292004600B
09478484001074	6630271023700I	21332900853010	6630292004600C
09478484001087	6630271023800A	21332900853015	6630292004600D
094784840010A2	6630271023800B	21332900853020	6630292004700
094784840010C2	6630271023800C	21332900853030	6630292004700A
09478484001174	6630271023800D	21332900853050	6630292004700B
09478484001274	6630271023800E	21332900853075	6630292005000
09478484001430	6630271023800F	21332900853100	6630292005100
09478484002017	6630271023800G	21332900853150	6630292005100A
09478484002049	6630271023800H	21332900853200	6630292005100B
09478484002074	6630271023800I	21332905853050	6630292006800
09478484002087	6630271023800J	21332905853080	663029201800
09478484002093	6630271023900A	21332916453002	663029202400
094784840020A2	6630271024000A	21332929853002	6630301000200

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)



Pushing Performance

HARTING Product Change Notification

PCN

094784840020C2	6630271024000B	21332929853010	6630301000300
09478484002274	6630271024000C	21332929853015	6630301000400
09478484002430	6630271024000D	21332929853020	6630503400100
09478484003017	6630271024000E	21332929853030	6630503400200
09478484003049	6630271024000F	21332929853050	6630503402100
09478484003074	6630271024000G	21332929853075	6630503402200
09478484003087	6630271024000H	21332929853100	6630517101500
094784840030C2	6630271024000I	21332929853150	6630530600700
09478484003274	6630271024000J	21332929853200	6630530600800
09478484003430	6630271024000K	213329B8853050	6630540201709A
09478484004017	6630271024000L	213329D7453002	6630540201709B
09478484004049	6630271024000M	21335000810005	6630540201715
09478484004074	6630271024000N	21335000853003	6630540202015B
09478484004087	6630271024000P	21335052853005	6630551001000
094784840040C2	6630271024000Q	21336305853010	6630551001100
09478484004430	6630271024000R	21336305853020	6630552200100
09478484005049	6630271024000S	21336305853060	6630552200300
09478484005074	6630271024000T	21336363853004	6630552200600A
09478484005087	6630271024000U	21336363853010	6630552200600B
094784840050C2	6630271024200A	21336363853020	6630552200600C
09478484005430	6630271024300A	2133B809453005	6630552200600H
09478484006049	6630271024300B	2133B825453002	6630552200900A
09478484006087	6630271024400	2133B8B8853010	6630552200900B
09478484006430	663027102450A	580001DUMMY	6630552200900C
09478484007049	663027102450B	5840SAMPLE03	6630552200900D
09478484007087	663027102460A	68003460001	6630552200900E
09478484007430	663027102460B	68003470001	6630552200900F
09478484008049	663027102470A	68004040002	6630552200900G
09478484008087	663027102470B	68004050002	6630552200900H

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)



Pushing Performance

HARTING Product Change Notification

PCN

09478484008430	663027102480A	68004220001	6630552200900J
09478484009087	663027102480B	68004230001	6630552200900K
09478484009430	663027102490A	71HAN10518F001A	6630552200900L
09478484010002	663027102490B	71HAN10518F001B	6630552201100
09478484010087	663027102500A	71HAN10518F001C	6630552201200
09478484010430	663027102500B	71HAN10518F001D	6630552201300
09478484011087	663027102510A	71IDC99999F002	6630552202300
09478484011430	663027102510B	HARKULES_10	6630556200100
09478484012430	6630271025200	87837125697	6630556200200
09478484013430	6630271025300	61022010058L025	6630556200300
09478484014430	6630271025400	61022010058L055	6630556600301
09478484020002	6630271025500	6104201120200	6630556600302
09478484025002	6630271025700	6104201120400	6630556600305
09478484030002	6630271025800	6104201120401	6630556600307
09478484101017	6630271025900	6104201120500	6630556600308
09478484102017	6630271026000A	6104201120600	6630556600309
09478484103017	6630271026000B	6104201120700	6630556600310
09478484104017	6630271026000C	6104201120800	6630556600311
094784A7001074	6630271026200A	6104201120900	6630556600312
094784A70010A2	6630271026200B	6104201219900	6630556600313
094784A7002017	6630271026200C	6104209001498	6630556600314
094784A70020A2	6630271026300A	6630565703100	6630556600315
094784A7003017	6630271026300B	6630565703200	6630556600400
094784A70030A2	6630271026300C	6630TST012200	6630556600401
094784E6001087	6630271026300D	6400000199201	6630556600701A
09479800001093	6630271026400A	6402408027701	6630556600701C
0947A7840010C2	6630271026400B	87837116924	6630556600701F
0947A7840020C2	6630271026400C	87837116925	6630556600701G
0947A7840030C2	6630271026400D	87837116926	6630556600701H

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

0947A7840040C2	6630271026500	87837125323	6630556600701J
0947A7H40010C2	6630271026600	87837125504	6630556600701K
0947C984001074	6630271026700	87837125687	6630556600703B
0947C9C9001074	6630271026800	87837125689	6630556600801A
0947D984001087	6630271027000	87837125691	6630556600801B
0947E4000010A2	6630271027100	87837125693	6630556600801C
0947E4000011A2	6630271027200	87837125695	6630556600801D
0947E4000021A2	6630271027300	87837125697	6630556600801E
0947E4A7001069	6630271027400	87837125699	6630556600802A
0947E4A7001169	6630271027700	87837146122	6630556601000
0947E4A7002069	6630271027800	87837184970	6630556601100
0947E4A7003069	663027102790A	87847125425	6630556610900A
0947E4A7004069	663027102790B	74053202000101	6630556610900B
0947E4A7005069	6630271028000	74053202000102	6630556610900C
0947E4A7006069	6630271028100	74053202000201	6630556610900D
0947E4A7007069	6630271028200A	74053202000202	6630556610900E
0947E4A701169	6630271028200B	74092727102501	6630556611100A
0947E4E40040E4	6630271028300A	74092727103001	6630556611100B
0947E5000010A2	6630271028300B	74092727110001	6630556611100C
0947E5000020A2	663027102860A	74092727110801	6630556611100D
09484463751006	663027102860B	74092727114601	6630556611100E
09484463751010	663027102860C	74092727114801	6630556611100F
09484463751012	663027102860E	74092727119801	6630558700300
09484463751018	663027102870A	74092727121501	6630558700400
09484463751024	663027102870B	74092727122501	6630558701800
09484463751050	663027102880A	74092727130001	6630558701900
09485063751007	663027102880B	6104202239400	6630558702001
09485063751010	663027102890A	6114000499800	6630558702002
09485063751020	663027102890B	6115202019500	6630558702003

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)



Pushing Performance

HARTING Product Change Notification

PCN

09486363751005	663027102890C	6630164000500	6630558702200A
09486363751007	6630271029000	6630164000600	6630558702200B
09486363751010	6630271029100	6630164000700	6630558702200C
09486363751015	6630271029200	6630164000800	6630558702200D
09486363751020	663027102930A	6630164000801	6630558702201
09486363751050	663027102930B	6630164000802	6630558702202
09486363751075	6630271029400	6630164001000	6630558702301
09486363751100	663027102950A	6630164001100	6630558702302
09486363751140	663027102950B	6630164003900	6630558702303
09486363751150	663027102950C	6630164004500	6630562400100
09487063751100	663027102950D	6630271004500	6630562400200
09487063751150	663027102950E	6630271004700	6630562400300
09487523751030	663027102950F	6630271005800	6630562400400
094882A3751010	663027102950G	6630271005905	6630562400500
09489363151050	663027102950H	6630271005905A	6630562500100
09489363151950	663027102950J	6630271005905B	6630562500200
0948A4A4751045	663027102950K	6630271005930	6630565600200
21330101853005	663027102950L	6630271005930A	6630565600300
21330101853007	663027103040001	6630271005930B	6630565600500
21330101853010	663027103040002	6630271008600	6630565600700
21330101853015	663027103040003	6630271008700	6630566100100
21330101853020	663027103040004	6630271008800	6630568700100
21330101853025	663027103040005	6630271009000	6630568700200
21330101853028	663027103050001	6630271009100	6630568700300
21330101853030	663027103050002	6630271009101	6630568700400
21330101853040	663027103050003	6630271009103	6630568700500
21330101853050	663027103050004	6630271009104	6630568700600
21330101853065	663027103050005	6630271009105	6630568700700
21330101853070	663027103050006	6630271009600	6630568700800

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

21330101853075	663027103050007	6630271009601	6630568700900
21330101853080	663027103050008	6630271009700	6630568701000
21330101853120	663027103050009	6630271009701	6630569300500A
21330101853130	663027103050010	6630271009702	6630569300500B
21330101853140	663027103050011	6630271009704	6630569300500C
21330101853150	663027103050012	6630271009705	6630569300500D
21330101853160	663027103060001	6630271009706	6630569300500E
21330101853170	663027103060002	6630271009707	6630569300600
21330101853186	663027103060003	6630271009708	6630569300700
21330101853190	663027103090001	6630271009800	6630569300800A
21330101853200	663027103090002	6630271009801A	6630569300800C
21330101853210	663027103090003	6630271009801B	6630569300900
21330101853212	6630271031000	6630271009802	6630RWK003900
21330101853215	6630271031001	6630271009901	6630RWK006200
21330101853230	6630271031100	6630271009902	6630RWK006300
21330101853240	6630271031200	6630271009903	6630RWK007010
21330101853250	6630271031300A	6630271009904	6630TST004700
21330101853280	6630271031300B	6630271009905	87837116755
21330101853282	6630271031300C	6630271009906	87837125866
21330101853320	6630271031300D	6630271009907	87837125995
21330111853005	6630271031300E	6630271009908	87837126043
21330111853010	6630271031300F	6630271014200	87837126154
21330111853060	6630271031300G	6630271014300	87837126446
21330500853002	6630271031300H	6630271014400	87837126484
21330500853010	6630271031400A	6630271014500	87837126830
21330500853020	6630271031400B	6630271014800	87837175791
21330500853021	6630271031400C	6630271014900	87837176092
21330500853030	6630271031400D	6630271015000	87837176093
21330500853035	6630271031600	6630271015300	87837176094

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)

 HARTING Pushing Performance	HARTING Product Change Notification	PCN
--	--	------------

21330500853040	6630271031900	6630271015500	87837176094
21330500853050	6630271032000	6630271015600	73420137002
21330500853070	6630271032001		

In case of questions or concerns, please do not hesitate to contact our technical support.

Technical Support E-mail: TechSupportUS@HARTING.com

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support)