



CENIX

PRODUCT CHANGE NOTIFICATION

PCN-DCT-111V-11

Business Unit	Product Line Code	Type of Change	Action	Date of issue
DCT	282	Aesthetic	Notify	08/03/2011
			Distributors	
			and Field	

The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.

Description of Change:

The letters "HC" on the product marking field of the MSTBO parts will be removed from all and, in addition, the Phoenix Contact-Logo will be harmonized on all mentioned parts.

Warranty Information:

N/A

Stock Status

Can existing stock still be used? Y

Is mixture of stock acceptable? N

Transaction Dates:


Date modification goes into effect from Germany: 06/24/2011

Expected first shipment (from Phoenix Contact) of the modified product(s): 01/01/2012





PRODUCT CHANGE NOTIFICATION



Should you have any issues with the timeline or content of this change, please contact Phoenix Contact using the contact information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however that the failure to acknowledge receipt does not affect the product change or the effective date thereof.

Contact Info:

ANDREW BOGACZYK (800)888-7388x3075 abogaczyk@phoenixcon.com

Thank you,

Ster G. Bah

Steve Barber, Product Marketing Manager





Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

PRODUCT CHANGE NOTIFICATION

Part#	Type Description
1861028	MSTBO 2,5/ 3-G1L GN
1861031	MSTBO 2,5/ 3-G1R GN
1861060	MSTBO 2,5/ 4-G1L GN
1861073	MSTBO 2,5/ 4-G1R GN
2713748	MSTBO 2.5/3-6-ST SET KMGY
2713764	MSTBO 2.5/4-6 ST SET KMGY
2853103	MSTBO 2,5/ 4-G1R RD
2853750	MSTBO 2,5/ 3-G1L KMGY
2853763	MSTBO 2,5/ 3-G1R KMGY
2854720	MSTBO 2.5/3-GIL BU
2907774	MSTBO 2.5/ 4-G1L KMGY
2907787	MSTBO 2.5/ 4-G1R KMGY
2907790	MSTBO 2.5/ 4-G1L BU
2907800	MSTBO 2.5/ 4-G1R BU
2908993	MSTBO 2.5/ 4 G1R BK
2909002	MSTBO 2.5/ 4-GIL BK
2909633	MSTBO 2.5/ 3-GIR BK