Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

# **Product Change Notification**

### PCN-MI-1042-2017

Business Unit	Product Line Code	Type of Change	Action	Date of Issue
MI - Marking and	BG3	Product Change	Notify Distributors and	11/13/2017
Installation		Notification	Field	

The following Phoenix Contact products have been modified. Existing specifications will be met or exceeded. Please review and acknowledge this document and inform your personnel as needed.

#### Description for Product Change Notification

The head of the pliers has changed. Please see pictures for reference. The length of the cutting area is higher (14 mm) than the previous version (10.5 mm).

The article name is written on the handle instead of the metal part. The article number is moved to a different position on the head of the pliers and in addition printed on the handle next to the name.

## Stock Status

Can existing stock still be used?

Is mixture of stock acceptable?

Transaction Dates	
Date modification goes into effect from Germany:	11/9/2017
Expected first shipment (from Phoenix Contact) of the modified products(s):	11/13/2017





INSPIRING INNOVATIONS

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

# **Product Change Notification**

Should you have any issues with the timeline or content of this product change, please contact Phoenix Contact using the information below. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN; provided, however, that the failure to acknowledge receipt does not affect the product change or the effective date thereof.

**Contact Info:** 

Maria Haynes mhaynes@phoenixcon.com

Thank you,

Larry Freeland

Senior Product Marketing Manager



INSPIRING INNOVATIONS

Phoenix Contact Inc. P.O. BOX 4100 Harrisburg, PA 17111-0100 Phone: 717-944-1300 Fax: 717-944-1625

# **Product Change Notification**

Part #	Type Description
1212480	MICROFOX-S ESD
1212804	MICROFOX-S ESD_DB