

181119433 EFR32MG13, EFR32BG13 & EFR32FG13 Data Sheet Revision 1.3 and Errata Update

Bulletin Issue Date: 11/19/2018 Effective Date: 11/19/2018

Description of Change

Silicon Labs is pleased to announce Data Sheet Revision 1.3 for EFR32MG13 Mighty Gecko Multi-Protocol, EFR32BG13 Blue Gecko Bluetooth® Low Energy and EFR32FG13 Flex Gecko Proprietary Wireless SoC families.

Notable changes from previous revisions are:

- The PHY firmware for 802.15.4 was updated to reduce the possibility of "false detects". The impact of the new firmware is an additional 200 uA of current in receive modes for 802.15.4. The data sheets have been updated to reflect this increased power consumption.
- Changed "DVDD = RFVDD = External PAVDD" in Sub-GHz specification tables to "DVDD = RFVDD = External PA". The PAVDD pin is for the 2.4 GHz Radio.

The Errata is updated to Revision 0.6/0.7 and the following new errata items have been added:

ADC_E228 - Limited ADC Sampling Frequency in EM2

CSEN_E201 - CSEN_DATA in Debug Mode

CSEN_E202 - CSEN Baseline DMA Transfers

EMU_E214 - Device Erase Cannot Occur if Voltage Scaling Level is Too Low

I2C_E202 - Race Condition Between Start Detection and Timeout

I2C_E203 - I2C Received Data Can be Shifted

I2C_E204 - I2C0 Does Not Meet Fast Mode Plus (Fm+) Timing at Voltage Scale Level 0

I2C_E205 - Go Idle Bus Idle Timeout Does Not Bring Device to Idle State

I2C_E206 - Slave Holds SCL Low After Losing Arbitration

USART_E203 — DMA Can Miss USART Receive Data in Synchronous Mode

USART_E204 — IrDA Modulation and Transmission of PRS Input Data

Reason for Change

Updated Datasheet and Errata

Product Identification

Existing Part # EFR32BG13P532F512GM32-C EFR32BG13P532F512GM32-CR EFR32BG13P532F512GM48-C EFR32BG13P532F512GM48-CR EFR32BG13P632F512GM32-C EFR32BG13P632F512GM32-CR EFR32BG13P632F512GM48-C EFR32BG13P632F512GM48-CR EFR32BG13P632F512IM32-C EFR32BG13P632F512IM32-CR EFR32BG13P632F512IM48-C EFR32BG13P632F512IM48-CR EFR32BG13P733F512GM48-C EFR32BG13P733F512GM48-CR EFR32BG13P732F512GM32-C EFR32BG13P732F512GM32-CR EFR32BG13P732F512GM48-C

EFR32BG13P732F512GM48-CR

```
EFR32FG13P233F512GM48-C
EFR32FG13P233F512GM48-CR
EFR32FG13P232F512GM32-C
EFR32FG13P232F512GM32-CR
EFR32FG13P232F512GM48-C
EFR32FG13P232F512GM48-CR
EFR32FG13P231F512GM32-C
EFR32FG13P231F512GM32-CR
EFR32FG13P231F512GM48-C
EFR32FG13P231F512GM48-CR
EFR32FG13P231F512IM32-C
EFR32FG13P231F512IM32-CR
EFR32FG13P231F512IM48-C
EFR32FG13P231F512IM48-CR
EFR32MG13P632F512GM32-C
EFR32MG13P632F512GM32-CR
EFR32MG13P632F512GM48-C
EFR32MG13P632F512GM48-CR
EFR32MG13P733F512GM48-C
EFR32MG13P733F512GM48-CR
EFR32MG13P733F512IM48-C
EFR32MG13P733F512IM48-CR
EFR32MG13P732F512GM32-C
EFR32MG13P732F512GM32-CR
EFR32MG13P732F512GM48-C
EFR32MG13P732F512GM48-CR
EFR32MG13P732F512IM32-C
EFR32MG13P732F512IM32-CR
EFR32MG13P732F512IM48-C
EFR32MG13P732F512IM48-CR
```

This change is considered a minor change which does not affect form, fit, function, quality, or reliability. The information is being provided as a customer courtesy.


Please contact your local Silicon Labs sales representative with any questions about this notification. A list of Silicon Labs sales representatives may be found at http://www.silabs.com.

Customer Actions Needed:

Review updated Data Sheet and Errata.

User Registration

Register today to create your account on Silabs.com. Your personalized profile allows you to receive technical document updates, new product announcements, "how-to" and design documents, product change notices (PCN) and other valuable content available only to registered users. http://www.silabs.com/profile



Disclaimer

Silicon Labs intends to provide customers with the latest, accurate, and in-depth documentation of all peripherals and modules available for system and software implementers using or intending to use the Silicon Labs products. Characterization data, available modules and peripherals, memory sizes and memory addresses refer to each specific device, and "Typical" parameters provided can and do vary in different applications. Application examples described herein are for illustrative purposes only. Silicon Labs reserves the right to make changes without further notice and limitation to product information, specifications, and descriptions herein, and does not give warranties as to the accuracy or completeness of the included information. Silicon Labs shall have no liability for the consequences of use of the information supplied herein. This document does not imply or express copyright licenses granted hereunder to design or fabricate any integrated circuits. The products are not designed or authorized to be used within any Life Support System without the specific written consent of Silicon Labs. A "Life Support System" is any product or system intended to support or sustain life and/or health, which, if it fails, can be reasonably expected to result in significant personal injury or death. Silicon Labs products are not designed or authorized for military applications. Silicon Labs products shall under no circumstances be used in weapons of mass destruction including (but not limited to) nuclear, biological or chemical weapons, or missiles capable of delivering such weapons.

Trademark Information

Silicon Laboratories Inc.®, Silicon Laboratories®, Silicon Labs®, SiLabs® and the Silicon Labs logo®, Bluegiga®, Bluegiga Logo®, Clockbuilder®, CMEMS®, DSPLL®, EFM®, EFM32®, EFR, Ember®, Energy Micro, Energy Micro logo and combinations thereof, "the world's most energy friendly microcontrollers", Ember®, EZLink®, EZRadio®, EZRadioPRO®, Gecko®, ISOmodem®, Micrium, Precision32®, ProSLIC®, Simplicity Studio®, SiPHY®, Telegesis, the Telegesis Logo®, USBXpress®, Zentri and others are trademarks or registered trademarks of Silicon Labs. ARM, CORTEX, Cortex-M3 and THUMB are trademarks or registered trademarks of ARM Holdings. Keil is a registered trademark of ARM Limited. All other products or brand names mentioned herein are trademarks of their respective holders.



Silicon Laboratories Inc. 400 West Cesar Chavez Austin, TX 78701