Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

$$\label{eq:max-ey} \begin{split} \text{Max-Eyth-Straße 1} & \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} & +49 & (0) \\ \text{79 42 945-0} & \cdot \text{Fax +49 (0) 79 42 945-400} \\ \text{eiSos@we-online.de} & \cdot \text{www.we-online.de} \end{split}$$



Product/Process Change ☐ Major change ☐ Minor change	Notice (PCN)			
PCN #: PCN_IndTFC_20160624 Product Affected: WE-TFC Series PCN Date: July 24th 2016 Effective Date: September 23rd 2016	□ Product Mark□ Date Code□ Packaging☑ Others			
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-mail: pcn.eisos@we-online.de	Attachment: ☐ Yes ⊠ No			
DESCRIPTION AND PURPOSE OF CHANGE: Due to the continuous production process improvements, the creepage distance of at least 4 mm can be assured. This allows Würth Elektronik to increase the rated voltage from 250 V _{AC} to 400 V _{AC} . The insulation test voltage was accordingly increased from 2000 V _{AC} to 3000 V _{AC} . The change affects the following articles: - 744862018				

- 744862033
- 744862056
- 744862082
- 744862100
- 744862120
- 744862180
- 744862250

DETAIL OF CHANGE:

The component itself has not being changed. Due to the improvement the rated and insulation test voltage is increased. No other electrical parameters are affected. Attached a table with the comparison between the previous and the new value:

Parameter	Before change	After change
Rated Voltage	250 V _{AC}	400 V _{AC}
Insulation test voltage	2000 V _{AC}	3000 V _{AC}

Würth Elektronik eiSos GmbH & Co. KG EMC & Inductive Solutions

 $\label{eq:max-Eyth-Straße} \begin{array}{l} \text{Max-Eyth-Straße 1} \cdot \text{74638 Waldenburg} \cdot \text{Germany} \\ \text{Tel.} + 49 \, (0) \, 79 \, 42 \, 945 \cdot 0 \cdot \text{Fax} + 49 \, (0) \, 79 \, 42 \, 945 \cdot 400 \\ \text{eiSos@we-online.de} \cdot \text{www.we-online.de} \end{array}$



RELIABILITY / QUALIFICATION SUMMARY:			
Product approval is according to the specification and is internally released by the Product Management Department.			
DATA SHEET CHANGE:	⊠ Yes	□ No	