Part Numbering

3 Terminal Low ESL Monolithic Ceramic Capacitors

1 Series

Code	Series
NFM	3 Terminal Low ESL Type

2Chip Dimensions (LxW)

Code	Dimensions (LxW)	EIA
15	1.0x0.5mm	0402
JM	1.2x0.9mm	05035
18	1.6x0.8mm	0603
21	2.0x1.25mm	0805
3D	3.2x1.25mm	1205
31	3.2x1.6mm	1206
41	4.5x1.6mm	1806

3Features

Code	Features	
СС	For Consumer Electronics & Industrial Equipment	For Signal Lines
PC		For Large Current
PL		Low-profile Type for Large Current
PS		High Insertion Loss Type for Large Current
кс		For Very Large Current
тс	For Automotive (Infortainment /Confort)	For Large Current
нс	For Automotive (Powertrain/Safety)	For Signal Lines / For Large Current
нк		For Very Large Current

4 Capacitance

Expressed by three figures. The unit is in pico-farad (pF). The first and second figures are significant digits, and the third figure expresses the number of zeros that follow the two figures.

5Individual Specification

Expressed by one figures.

6Rated Voltage

Code	Rated Voltage
OE	2.5Vdc
0G	4Vdc
Ol	6.3Vdc
1A	10Vdc
1C	16Vdc
1E	25Vdc
1H	50Vdc
2A	100Vdc

?Electrode (Except **NFM**□□**PL**)

Code	Electrode
3	Sn Plating

⑦Dimension (T) (**NFM**□□**PL** Only)

Code	Height Dimension (T)
5	0.65mm max.

8 Packaging

Code	Packaging
В	Bulk
L	Embossed Taping (ø180mm Reel)
D	Paper Taping (ø180mm Reel)