

# PT PIEZO AUDIO TRANSDUCER

**Acoustic Product Specification** 

**Product Number: PT-1403-3** 



# Release | Revision: C/2018

#### **CONTENTS**

This document contains the technical specifications for the piezo audio transducer.

#### Page 1

Specifications

Mechanical Characteristics

#### Page 2

**Environment Test** 

Reliability Test

#### Page 3

Inspection Fixture

Frequency Response Curve

### Page 4

Dimensions

### Page 5

Packing

Specifications				
Item	Unit	Specification	Condition	
Rated Voltage	Vp-p	9.0		
Operating Voltage	Vp-p	2.0 ~ 30.0	0V	
Mean Current	mA	3 Max.	At 9Vp-p, square wave, 5200Hz	
Sound Output	dB	80	At 10cm, 9Vp-p, square wave, 5.2KHz	
Capacitance at 30Hz	PF	9400 ±30%	At 120Hz	
Rated Frequency	Hz	5200 ±400		
Operating Temp	°C	-20 ~ +60		
Storage Temp	°C	-30 ~ +70		
Dimension	mm	Ø14.0×H2.85	See attached drawing	
Weight	gram	0.8		
Material		ABS		
Terminal		Wire type	Length: 38mm (UL1571/ AWG32#)	
Environmental Protection Regulation		RoHS		

#### **Test condition:**

**Temperature:** +25±2 °C **Related humidity:** 65±5% **Air pressure:** 86-106KPa

	Mechanical Characteristics		
Item	Test condition	Evaluation standard	
Solderability	Lead terminals are immersed in rosin for 5 seconds and then immersed in the solder bath at +250±5°C for 3±1 seconds.	90% min. lead terminals shall be wet with solder (Except the edge of terminal)	
Lead Wire Pull Strength	The pull force shall be applied to double lead wire: Horizontal 3.0N(0.306kg) for 30 seconds. Vertical 2.0N(0.204kg) for 30 seconds.	No damage and cutting off	
Vibration	The buzzer shall be measured after a vibration of amplitude of 1.5mm with 10Hz to 55Hz band of vibration frequency is applied to each of 3 perpendicular directions for 2 hours.	After the test, the part shall meet specifications without any damage in appearance and performance except SPL. The SPL should be in ±10dBA compared with initial one.	
Drop Test	The part is dropped from a height of 75cm onto a 40mm thick wooden board 3 times in 3 axes(X,Y,Z). A total of 9 times.		



# soberton inc.

# PT PIEZO AUDIO TRANSDUCER

**Acoustic Product Specification** 

**Product Number: PT-1403-3** 



## Release | Revision: C/2018

#### **CONTENTS**

This document contains the technical specifications for the piezo audio transducer.

#### Page 1

Specifications

Mechanical Characteristics

#### Page 2

**Environment Test** 

Reliability Test

#### Page 3

Inspection Fixture

Frequency Response Curve


### Page 4

Dimensions

#### Page 5

Packing

	Environment Test		
Item	Test condition	Evaluation standard	
High temp. test	The part is placed in a chamber at +70°C for 96 hours	After the test, the part shall meet specifications without any degradation in appearance and	
Low temp. test	The part is placed in a chamber at -30°C for 96 hours		
Humidity test	The part is placed in a chamber at +70°C and 90±5% relative humidity for 96 hours	performance except SPL. After 4 hours at +25°C, The SPL should be in ±10dBA compared with initial one.	
Temp cycle test	The part will be subjected to 5 cy Each cycle shall consist of:	/cles.	



Reliability Test			
Item	Test condition	<b>Evaluation standard</b>	
Operating Life Test	1. Continuous life test 72 hours of continuous operation at +60°C with the maximum rated voltage applied	After the test, the part shall meet specifications without any degradation in appearance and performance except	
	2. Intermittent life test A duty cycle of 1 minute on, 1 minute off, a minimum of 1000 times at +25±2°C and the maximum rated voltage applied	SPL. After 4 hours at +25°C, the SPL should be in ±10dBA compared with initial one.	

#### **Standard test condition:**

a) Temperature: +5~+35°C

**b) Humidity:** 45~85%

c) Pressure: 86~106KPa



# PT PIEZO AUDIO TRANSDUCER

**Acoustic Product Specification** 

**Product Number: PT-1403-3** 



## Release | Revision: C/2018

#### **CONTENTS**

This document contains the technical specifications for the piezo audio transducer.

#### Page 1

Specifications

Mechanical Characteristics

#### Page 2

**Environment Test** 

Reliability Test

#### Page 3

Inspection Fixture

Frequency Response Curve

#### Page 4

**Dimensions** 


#### Page 5

Packing

#### **Inspection Fixture**


#### **S.P.L Measuring Circuit**

**S.P.L Measuring Circuit Input Signal:** 9.0Vp-p, 5200Hz, Square Wave



MIC: RION S.P.L meter UC30 or equivalent S.G: Hewlett Packard 33120A Function Generator or equivalent

## **Frequency Response Curve**





# soberton inc.

# PT PIEZO AUDIO TRANSDUCER

**Acoustic Product Specification** 

**Product Number: PT-1403-3** 



# Release | Revision: C/2018

#### **CONTENTS**

This document contains the technical specifications for the piezo audio transducer.

#### Page 1

Specifications

Mechanical Characteristics

#### Page 2

**Environment Test** 

Reliability Test

#### Page 3

Inspection Fixture

Frequency Response Curve

#### Page 4


Dimensions


### Page 5

Packing

#### **Dimensions**

Tolerance: ±0.5 (unit: mm)





No.	Part Name	Material	Quantity
1	Case	ABS	1
2	Case	ABS	1
3	Piezo	Copper + Ceramics	1
4	Wire (38mm)	UL1571/AWG32#	2
5	Double Faced Adhesive Tape	AcR+Off type paper	1



# soberton inc.

# PT PIEZO AUDIO TRANSDUCER

**Acoustic Product Specification** 

**Product Number: PT-1403-3** 



# Release | Revision: C/2018

#### **CONTENTS**

This document contains the technical specifications for the piezo audio transducer.

#### Page 1

Specifications

Mechanical Characteristics

#### Page 2

**Environment Test** 

Reliability Test

#### Page 3

Inspection Fixture

Frequency Response Curve


#### Page 4

Dimensions

#### Page 5

Packing





Packing	L x W x H (mm)	Q'ty PCS
Clip Bag	170 x 120 x 0.1	200
Out Box	210 x 190 x 105	2,000
Carton Box	440 x 400 x 310	2,4000