**Mounting Option** 90 Degree Bend (Code 521 Contacts) #4-40 Unified Threaded Inserts .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing 0.343 [8.71] -1.558[39.57] 1.412[35.86] -0.156[3.96]


1.844 [46.84] -

**Contact Detail** 

**SECTION A-A** 

307 ENG MASTER DATE: AUG. 11/09

SHEET 1 OF 3



## **See Accompanying Pages for:**

- **Contact Bend Details**
- **Mounting Options**

.175 [4.45] Point of Contact (FROM BTM OF SLOT) Card Slot Accepts .054 [1.37] to .070 [1.78] Thick P.C. Board

10 10/0 [th/o] make to be and		
307 / 357 Card Edge Connector		ACAD REFERENCE NO.
Part Number: 307-008-553-108		DRAWN: J.LEE
Part Number, 507-000-555-100		CHECKED:
EDAC INC TORONTO, ONTARIO CANADA	ARE THE RECREPTLY OF FRACTING AND	SCALE: NTS
	RIO SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	DRAWING NUMBER
	MANUFACTURE OR SALE OF APPARATUS VICE WITHOUT WRITTEN PERMISSION.	307 Assembly



