Mounting Option
02-.128 (3.25) Wide Mounting Slots

Contact Detail
544-Wire Wrap .050x.025(1.27x0.64) - Tail LG=.760(19.30)
.100 [2.54] Contact Spacing x .200 [5.08] Row Spacing

2.300 [58.42]
2.022 [51.36]
1.746 [44.35]
1.600 [40.64]
0.370 [9.40]
0.100 [2.54]

Card Slot Accepts
.054 [1.37] to .070 [1.78]
Thick P.C. Board

A

A

EDAC

0.590 [14.99]
0.270 [6.86]

0.410 [10.41]

SECTION A-A

See Accompanying Pages for:
- **Contact Bend Details**
- **Mounting Options**

342 / 392 Card Edge Connector
Part Number: 342-015-544-102

0.120 [3.05]
0.255 [6.48]

.125 [3.18] to .210 [5.33]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

555 Contact Code

0.095 [2.41]
0.180 [4.57]

.125 [3.18] to .185 [4.70]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

556 Contact Code

0.645 [16.38]
0.245 [6.22]

0.200 [5.08]
0.060 [1.52]

558 Contact Code

0.645 [16.38]
0.295 [7.49]

0.150 [3.81]
0.060 [1.52]

559 Contact Code

0.165 [4.19]
0.385 [9.78]

.125 [3.18] to .210 [5.33]
Outside Tails
.045 [1.14] to .060 [1.52]
Between Tails

560 Contact Code

342 / 392 Series Card Edge Connector
Contact Bend Detail

ACAD REFERENCE NO. 342 ENG MASTER
DRAWN: J.LEE   DATE: OCT. 06/09
CHECKED: DATE:
SCALE: NTS   SHEET 2 OF 3
DRAWING NUMBER   ISSUE
342 Assembly   1

.010 [0.25] Radial Float

0.116 [2.95] I.D. Floating Eyelets

0.250 [6.35] Dia.

.128 [3.25] x .146 [3.71] Slot

.156 [3.96] Dia Through Holes

M3-0.5 Metric Threaded Insert

#4-40 UNC Threaded Insert

0.135 [3.43]

0.005 [0.13]

0.348 [8.84]

.128 [3.25] Dia Through Holes

Code x01   Code x02   Code x03   Code x04   Code x07   Code x08   Code x12

342 / 392 Card Edge Connector
Mounting Options