
Mounting Option

08-#4-40 Unified Threaded Inserts

Contact Detail

540-Wire Wrap .025 Sq.(0.64 Sq.) - Tail LG=.560(14.22) .156 [3.96] Contact Spacing x .200 [5.08] Row Spacing

-3.188[80.98] 2.938 74.63 2.665 [67.69] 2.504 [63.60] Card Slot Accepts .054 [1.37] to .070 (1.78) Thick P.C. Board 0.370 [9.40]



See Accompanying Page for:


- **Bend Detail**
- **Mounting Options**

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ISSUE NUMBER ORIGINAL

1



833 Series High Temp Card Edge Connector
Part Number: 833-030-540-808



EDAC INC TORONTO, ONTARIO CANADA

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.

ACAD REFERENCE NO.	833 ENG MASTER		
DRAWN: J.LEE	DATE: OCT. 14/09		
CHECKED:	DATE:		
SCALE: NTS	SHEET 1 OF 3		
DRAWING NUMBER	ISSUE		
833 Assembly	1		

SECTION A-A

0.388 [9.86]



ORIGINAL (1)

ORIGINAL



833 Series High Temp Card	ACAD REFERENCE NO.	833 ENC	MASTER	
Contact Bend Detail	3	DRAWN: J.LEE	DATE: OC	T. 14/09
Confact Bend Defail		CHECKED:	DATE:	
EDAC INC TORONTO, ONTARIO CANADA YOUR CONNECTION TO QUALITY & SERVICE	THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INC.,AND SHALL NOT BE REPRODUCED,OR COPIED OR USED AS THE BASIS FOR THE MANUFACTURE OR SALE OF APPARATUS WITHOUT WRITTEN PERMISSION.	SCALE: NTS	SHEET 2	2 OF 3
		DRAWING NUMBER		ISSUE
		833 Assembly		1

THIS IS A C.A.D. GENERATED DRAWING DO NOT MAKE MANUAL REVISIONS TO MASTER.



ORIGINAL (1)



833 Series High Temp Card Edge Connector Mounting Options		ACAD REFERENCE NO. DRAWN: J.LEE	DATE: O	MASTER CT. 14/09
EDAC INC TORONTO, ONTARIO CANADA TORONTO, ONTARIO CANADA THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF EDAC INCAND SHALL NOT BE REPRODUCED, OR COPIED OR USED AS THE BASIS FOR THE	CHECKED: SCALE: NTS	DATE:	3 OF 3	
	SHALL NOT BE REPRODUCED, OR COPIED	DRAWING NUMBER		ISSUE
YOUR CONNECTION TO QUALITY & SERVICE		833 Assembly		1