






747370111 SHOWN




SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.




- NOTES:  
 1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.  
 2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:  
 747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)  
 747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)  
 3. MATERIAL: COPPER ALLOY  
 4. PLATING: MATTE TIN  
 5. NO ROHS EXEMPTIONS.  
 6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE  
 LAST TWO DIGITS OF PART NUMBER  
 TOOLING NUMBER  
 REV LETTER OF CAGE  
 WW: WEEK OF THE YEAR PER ISO 8601  
 YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013-13  
 EXAMPLE: 11 2 A 03 12

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:				<b>molex</b>	
= 0		mm		3:1		EC NO: 626031					
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: ASYAMIKAR 2019/10/18				SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
= 0		ANGULAR TOL ± 1.0°				CHK'D: TKUMARKC 2019/11/05				PRODUCT CUSTOMER DRAWING	
= 0		4 PLACES ±				APPR: JCHIANG 2019/11/05				DOCUMENT NUMBER	
= 0		3 PLACES ±				INITIAL REVISION:				DOC TYPE	
= 0		2 PLACES ± 0.13				DRWN: ASYAMIKAR 2019/10/18				DOC PART	
= 0		1 PLACE ± 0.25				APPR: JCHIANG 2019/11/05				REVISION	
= 0		0 PLACES ±				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				MATERIAL NUMBER	
= 0		THIRD ANGLE PROJECTION		DRAWING		SERIES		CUSTOMER		SHEET NUMBER	
= 0		C-SIZE		74737		SEE P/N TABLE				1 OF 6	

747370111 SHOWN



747370063 SHOWN





F/G PART NUMBER	VENT HOLES	LEG HEIGHT
747370111	YES	1.8
747370063	NO	1.8

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
$\nabla = 0$	mm	5:1	<b>molex</b> SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS PRODUCT CUSTOMER DRAWING
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
$\nabla = 0$	ANGULAR TOL $\pm 1.0^\circ$		
$\nabla = 0$	4 PLACES	$\pm$	EC NO: 626031 DRWN: ASYAMIKAR 2019/10/18 CHK'D: TKUMARKC 2019/11/05 APPR: JCHIANG 2019/11/05
$\nabla = 0$	3 PLACES	$\pm$	INITIAL REVISION: DRWN: ASYAMIKAR 2019/10/18 APPR: JCHIANG 2019/11/05
$\nabla = 0$	2 PLACES	$\pm 0.13$	
$\nabla = 0$	1 PLACE	$\pm 0.25$	DOCUMENT NUMBER: 747370111 DOC TYPE: PSD DOC PART: ASY REVISION: E
$\nabla = 0$	0 PLACES	$\pm$	MATERIAL NUMBER: SEE P/N TABLE CUSTOMER: SHEET NUMBER: 2 OF 6
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
$\nabla = 0$	THIRD ANGLE PROJECTION	DRAWING	SERIES
		C-SIZE	74737

NOTES:  
 1. REFER TO SHEET 1 FOR COMMON FEATURES AND REQUIREMENTS.  
 2. 747370063 IS SIMILAR TO 747370111 EXCEPT WITHOUT VENT HOLES.

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------



THIS AREA DENOTES COMPONENT KEEP-OUT (TRACES ALLOWED)

9X Ø0.95 ±0.05  
 Ø0.1 X A  
 (SHOWN AS ●)

SEE KEEPOUT DETAIL

Ø0.85 ±0.05  
 Ø0.1 X Y  
 A

1. DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
2. PADS AND VIAS ARE CHASSIS GROUND.
3. HOLE LAYOUT SHOWN IS FOR SINGLE SIDED MOUNTING ONLY.
4. CONNECTOR PAD LAYOUT PER SFP MSA, WILL ACCOMODATE MOLEX CONNECTOR SERIES 74441 OR EQUIVALENT.

SYMBOLS										THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC:															
= 0		mm		4:1		EC NO: 626031													
= 0		GENERAL TOLERANCES (UNLESS SPECIFIED)		DRWN: ASYAMIKAR 2019/10/18															
= 0		ANGULAR TOL ± 1.0°		CHK'D: TKUMARKC 2019/11/05															
= 0		4 PLACES ±		APPR: JCHIANG 2019/11/05															
= 0		3 PLACES ±		INITIAL REVISION:															
= 0		2 PLACES ± 0.13		DRWN: ASYAMIKAR 2019/10/18															
= 0		1 PLACE ± 0.25		APPR: JCHIANG 2019/11/05															
= 0		0 PLACES ±		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER			
= 0				C-SIZE		74737		SEE P/N TABLE						3 OF 6					

**molex**

SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS



PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER: 747370111




DOC TYPE: PSD

DOC PART: ASY

REVISION: E



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION													
SYMBOLS		DIMENSION UNITS		SCALE		CURRENT REV DESC:							
▽ = 0		mm		4:1		EC NO: 626031						SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
▽ = 0		GENERAL TOLERANCES (UNLESS SPECIFIED)				DRWN: ASYAMIKAR 2019/10/18							
▽ = 0		ANGULAR TOL ± 1.0°				CHK'D: TKUMARKC 2019/11/05				PRODUCT CUSTOMER DRAWING			
▽ = 0		4 PLACES ±				APPR: JCHIANG 2019/11/05							
▽ = 0		2 PLACES ± 0.13				INITIAL REVISION:				DOCUMENT NUMBER			
▽ = 0		1 PLACE ± 0.25				DRWN: ASYAMIKAR 2019/10/18				747370111			
▽ = 0		0 PLACES ±				APPR: JCHIANG 2019/11/05				PSD ASY E			
▽ = 0		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER			
▽ = 0						C-SIZE		74737		SEE P/N TABLE			
										CUSTOMER			
										SHEET NUMBER			
										4 OF 6			



SYMBOLS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
DIMENSION UNITS	SCALE	CURRENT REV DESC:	
$\nabla = 0$	mm	1:1	
$\nabla = 0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		
$\nabla = 0$	ANGULAR TOL $\pm 1.0^\circ$		
$\nabla = 0$	4 PLACES	$\pm$	
$\nabla = 0$	3 PLACES	$\pm$	
$\nabla = 0$	2 PLACES	$\pm 0.13$	
$\nabla = 0$	1 PLACE	$\pm 0.25$	
$\nabla = 0$	0 PLACES	$\pm$	
$\nabla = 0$	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
	THIRD ANGLE PROJECTION	DRAWING	SERIES
		C-SIZE	74737
	EC NO: 626031		2019/10/18
	DRWN: ASYAMIKAR		2019/11/05
	CHK'D: TKUMARKC		2019/11/05
	APPR: JCHIANG		2019/11/05
	INITIAL REVISION:		
	DRWN: ASYAMIKAR		2019/10/18
	APPR: JCHIANG		2019/11/05
	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
	747370111		5 OF 6

**molex**












SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS

PRODUCT CUSTOMER DRAWING





DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
747370111	PSD	ASY	E

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------



REV	DATE	DESCRIPTION
1	2011/07/25	PRE-RELEASE
A	2011/12/05	INITIAL RELEASE, PART IDENTIFICATION CHANGED (SHT 1); TAPE CHANGED TO TWO LAYER BOTTOM (SHT 4); CHANGED HOLE SPACING TO 68.4MM (SHT 4); ADDED DETAIL VIEW 1 (SHT 4).
A1	2012/01/05	REMOVED 8.5 AND REPLACED WITH 0.57 (SHT 1); ADDED 0.30±0.10 (SHT 3); CORRECTED ARROW APPERANCE (SHT 4)
C	2012/08/08	DIM 1.80 UPDATED TO 1.80 TYP (SHT 1). SECTION LINE MOVED (SHT 3). UPDATED ALL VIEWS (SHT 4). UPDATED 15.1 TYP TO 15.3 TYP (SHT 4). UPDATED 49.1 TYP TO 49.4 TYP (SHT 4). UPDATED 14 TYP TO 15.6 TYP (SHT 4).
D	2012/09/12	UPDATED TRAY REEL CONE HEIGHT (SHT 4)
E	2019/10/18	REMASTERED FROM "SD-74737-0111 REV_D" TO "747370111 REV_E". ADDED NEW PART NUMBER 747370063 TO THE DRAWING. ADDED SHEET 2 TO SHOW ISO VIEW OF P/N 747370063 AND 747370111.

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
	DIMENSION UNITS	SCALE	CURRENT REV DESC:							<b>molex</b>		
	 = 0	mm	1:1									
	 = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 626031							SFP ONE PIECE 1X1 CAGE 1.8MM LEGS W/SPRING FINGERS SOLDER POSTS	
	 = 0	ANGULAR TOL ± 1.0°		DRWN: ASYAMIKAR 2019/10/18							PRODUCT CUSTOMER DRAWING	
	 = 0	4 PLACES ±		CHK'D: TKUMARKC 2019/11/05							DOCUMENT NUMBER	
	 = 0	3 PLACES ±		APPR: JCHIANG 2019/11/05							747370111	
	 = 0	2 PLACES ± 0.13		INITIAL REVISION:							DOC TYPE	
	 = 0	1 PLACE ± 0.25		DRWN: ASYAMIKAR 2019/10/18							PSD	
	 = 0	0 PLACES ±		APPR: JCHIANG 2019/11/05							ASY	
 = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING	SERIES	MATERIAL NUMBER		CUSTOMER	SHEET NUMBER		
 = 0					C-SIZE	74737				6 OF 6		

DOCUMENT STATUS	P1	RELEASE DATE	2019/11/05	10:34:06
-----------------	----	--------------	------------	----------



SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.






- NOTES:
- THIS CAGE IS FOR SINGLE SIDED USE ONLY.
  - CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:  
747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)  
747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
  - MATERIAL: COPPER ALLOY
  - PLATING: MATTE TIN
  - LEAD FREE, NO ROHS EXEMPTIONS
  - IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE  
LAST TWO DIGITS OF PART NUMBER  
TOOLING NUMBER  
REV LETTER OF CAGE  
WW: WEEK OF THE YEAR PER ISO 8601  
YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 - 13  
EXAMPLE: 11 2 A 03 12

REVISED EC NO: CPG2013-0591 D DRAWN BY: CHOKOMCKERVEY 2012/09/11 2012/09/12 APPROVED BY: APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	∇=0 ∇=0 ∇=0	4 PLACES ± --- INCH 3 PLACES ± --- INCH 2 PLACES ± 0.13 INCH 1 PLACE ± 0.25 INCH 0 PLACE ± INCH	MM ONLY	5:1	METRIC	DRAWN BY: DATE MMCKERVEY 2011/07/25 CHECKED BY: DATE APPROVED BY: DATE KLLOYD 2012/01/05	TITLE 1X1 SFP TAPE AND REEL
	ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MATERIAL NO. 747370111	DOCUMENT NO. SD-74737-0111	SHEET NO. 1 OF 5			
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						





20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1





<b>REVISED</b> EC NO: CPG2013-0591 DORNFELIAN 2012/09/11 CHYOMCKERVEY 2012/09/12 APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>5:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	mm INCH	DRAWN BY MMCKERVEY	DATE 2011/07/25	TITLE <b>1X1 SFP TAPE AND REEL</b>			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY KLLOYD	DATE 2012/01/05	MATERIAL NO. <b>747370111</b>			
				DOCUMENT NO. <b>SD-74737-0111</b>		SHEET NO. <b>3 OF 5</b>			

**molex**


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

20 19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1



TAPE FEED DIRECTION →







<b>REVISED</b> EEC NO: CPG2013-0591 2012/09/11 DORWEN/JOAN CHYOM/MCKERVEY APPR:K.LLOYD 2012/10/12 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>		SCALE <b>3:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION		
		4 PLACES ± 0.10 3 PLACES ± 0.13 2 PLACES ± 0.25 1 PLACE ± 0.25 0 PLACE ± 0.25	mm INCH	DRAWN BY MCKERVEY	DATE 2011/07/25	TITLE <b>1X1 SFP TAPE AND REEL</b>				
		ANGULAR ± 1° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SIZE <b>D</b>	APPROVED BY K.LLOYD	DATE 2012/01/05	MATERIAL NO. <b>747370111</b>	DOCUMENT NO. <b>SD-74737-0111</b>	SHEET NO. <b>4 OF 5</b>		
		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								

19 18 17 16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED IEC NO: CPG2013-0591 D DRAWN BY: CHYKMMCKERVEY APPR: KLLLOYD	2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>5:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION
			4 PLACES ± mm INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DRAWN BY: MMCKERVEY DATE: 2011/07/25	TITLE <b>1X1 SFP TAPE AND REEL</b>			
			ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY: KLLLOYD DATE: 2012/01/05	MATERIAL NO. <b>747370111</b>	DOCUMENT NO. <b>SD-74737-0111</b>	SHEET NO. <b>5 OF 5</b>	
			SIZE <b>D</b> THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					







SPRING FINGER GASKET WITH TWO POINTS OF CONTACT. COMPLIES WITH (SFP) MSA BOARD AND BEZEL LOCATIONS.

TABS USED TO MOUNT LIGHT PIPE COVER

CAGE IDENTIFICATION SEE NOTE 6

ONE PIECE DESIGN SECURELY FASTENED






**NOTES:**

1. THIS CAGE IS FOR SINGLE SIDED USE ONLY.
2. CAN BE USED WITH THE FOLLOWING LIGHT PIPE PART NUMBERS:  
 747260001 - LIGHT PIPE FROM BACK TO TOP (REFER TO DOCUMENT SD-74726-001)  
 747260002 - LIGHT PIPE FROM SIDE TO TOP (REFER TO DOCUMENT SD-74726-002)
3. MATERIAL: COPPER ALLOY
4. PLATING: MATTE TIN
5. LEAD FREE, NO ROHS EXEMPTIONS
6. IDENTIFICATION IS STAMPED AS SHOWN ON RIGHT SIDE OF CAGE  
 LAST TWO DIGITS OF PART NUMBER  
 TOOLING NUMBER  
 REV LETTER OF CAGE  
 WW: WEEK OF THE YEAR PER ISO 8601  
 YY: LAST TWO DIGITS OF THE YEAR, FOR EXAMPLE 2013 - 13  
 EXAMPLE: 11 2 A 03 12

REVISED EC NO: CPG2013-0591 D DRAWN BY: CHKOMCKERVEY 2012/09/11 2012/09/12 APPROVED BY: APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED):	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION	
	∇=0 ∇=0 ∇=0	4 PLACES ± --- INCH 3 PLACES ± --- INCH 2 PLACES ± 0.13 INCH 1 PLACE ± 0.25 INCH 0 PLACE ± INCH	MM ONLY	5:1	METRIC	TITLE: 1X1 SFP TAPE AND REEL MATERIAL NO: 747370111 DOCUMENT NO: SD-74737-0111	
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	ANGULAR ± 1 °	DRAWN BY: MMCKERVEY DATE: 2011/07/25 CHECKED BY: DATE:	APPROVED BY: KLLOYD DATE: 2012/01/05	molex SHEET NO. 1 OF 5		
	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						





REVISED EC NO: CPG2013-0591 DORNFELIAN 2012/09/11 CHYOMCKERVEY 2012/09/12 APPR:KLLOYD 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>5:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION		
		4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	mm INCH	DRAWN BY MMCKERVEY	DATE 2011/07/25	TITLE <b>1X1 SFP TAPE AND REEL</b>			
		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		APPROVED BY KLLOYD	DATE 2012/01/05	MATERIAL NO. <b>747370111</b>			
				ANGULAR ± 1 °		DOCUMENT NO. <b>SD-74737-0111</b>	SHEET NO. <b>3 OF 5</b>		

**molex**

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



DATE	REV	DESCRIPTION
2011-07-25	1	PRE-RELEASE
2011-12-05	A	INITIAL RELEASE; PART IDENTIFICATION CHANGED [SHT1]; TAPE CHANGED TO TWO LAYER BOTTOM [SHT4]; CHANGED HOLE SPACING TO 68.4MM [SHT4]; ADDED DETAIL VIEW 1 [SHT4];
2012-01-05	A1	REMOVED 8.58 AND REPLACED WITH 0.57 [SHT1]; ADDED 0.30±0.10 [SHT3]; CORRECTED ARROW APPEARANCE [SHT4]
2012-08-08	C	DIM 1.80 UPDATED TO 1.80 TYP [SHT 1]. SECTION LINE MOVED [SHT 3], UPDATED ALL VIEWS [SHT4], UPDATED 15.1 TYP TO 15.3 TYP [SHT4], UPDATED 49.1 TYP TO 49.4 TYP [SHT4], UPDATED 14 TYP TO 15.6 TYP [SHT 4]
2012-09-12	D	UPDATED TRAY REEL CONE HEIGHT [SHT 4]

REVISED IEC NO: CPG2013-0591 D DRAWN BY: CHYKMMCKERVEY APPR: K LLOYD	2012/09/11 2012/09/12 2012/10/12	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE <b>MM ONLY</b>	SCALE <b>5:1</b>	DESIGN UNITS <b>METRIC</b>	THIRD ANGLE PROJECTION
			4 PLACES ± mm INCH 3 PLACES ± --- ± --- 2 PLACES ± 0.13 ± --- 1 PLACE ± 0.25 ± --- 0 PLACE ± ±	DRAWN BY: MMCKERVEY DATE: 2011/07/25	TITLE <b>1X1 SFP TAPE AND REEL</b>			
			ANGULAR ± 1 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	CHECKED BY: K LLOYD DATE: 2012/01/05	MATERIAL NO. <b>747370111</b>	DOCUMENT NO. <b>SD-74737-0111</b>	SHEET NO. <b>5 OF 5</b>	
			SIZE <b>D</b> THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

