
REVISION P

RECOMMENDED PCB LAYOUT FOR QMS-XXX-01-XX-D-RA

12/5/2019 ECN-372539

<u>FIG 1</u> (QMS-052-01-XX-D-RA SHOWN)



ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.

NOTES:


- 1. NOT REQUIRED FOR ONE BANK PART CONNECTOR.
- 2. DESIGNED IN ENGLISH.
- 3. TO BE SOLDERED USING PASTE IN HOLE TECHNOLOGY.
- 4. FOR APPLICATIONS USING -02 LEAD STYLE OR -MG OPTION AND REQUIRING INVERTED REFLOW SOLDERING, USE OF AN EPOXY ADHESIVE IS RECOMMENDED.

* PROPRIETARY NOTE
THIS DOCUMENT CONTINUES CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES REPRIFTS ARE EXPREST WE RESERVED BY SAMATEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE
OR PART, TO ANY UNAUTHORIZED PEISON OR ENTITY NOR
PERPODUCED, THANSFERRED OR MICROPIONATED IN ANY
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS
WRITTEN CONSENT OF SAMTER, USE




NOTE: STENCIL TO BE .0060[.152] THICK.

<u>FIG 2</u> (QMS-052-01-XX-D-RA SHOWN)



ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.





RECOMMENDED STENCIL LAYOUT FOR QMS-XXX-01-XX-D-RA-PCX

FIG 5 (QMS-052-01-XX-D-RA-PC4 SHOWN) (SAME AS FIG 2, DIFFERENT AS SHOWN)





FIG 6 (QMS-052-01-XX-D-RA-PC8 SHOWN) (SAME AS FIG 2, DIFFERENT AS SHOWN)



THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESON, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMPTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUITHORIZED PERSON OR ENTITY NOR PERPODUCED, TRANSFERRED OR HOCOPPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMPTEC, IN