


REVISION X RECOMMENDED STENCIL LAYOUT FOR SEAF-XX-XX.X-XX-XX-A-XX AND SEAFC-XX-XX.X-X-XX-X-X

NOTE: STENCIL TO BE .0060[0.152] THICK.




<u>FIG 2</u> STENCIL FOR SEAF-20-XX.X-XX-08-X-A AND SEAFC-20-XX.X-XX-08-X-X SHOWN X (ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE.)



PROPRIETARY NOTE

PROPRIETARY INFORMATION AND ALL DESIGN

X



SHEET 3 OF 8

REVISION X RECOMMENDED STENCIL LAYOUT FOR SEAF-XX-XX.X-XX-05-X-A-XX AND SEAFC-20-XX.X-X-05-X-X

NOTE: STENCIL TO BE .0060[0.152] THICK.




FIG 4 STENCIL FOR SEAF-20-XX.X-XX-05-X-A AND SEAFC-20-XX.X-X-05-X-X SHOWN (ALL DIMENSIONS ARE SYMMETRIC ABOUT THE VERTICAL CENTERLINE ONLY.)


> NOTES: 1. PADS ARE NOT SYMMETRIC ABOUT HORIZONTAL CENTERLINE.


PROPRIETARY NOTE THIS DOCUMENT CONTINIS CONFIDENTIAL AND PRORFIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS RAE EVERSESS VIES RESERVED BY SAMPLE, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WIRTTEN CONSERVIC OF SAMTEC, INC.



X


SHEET 4 OF 8





-SHEET 6 OF 8

REVISION X RECOMMENDED PCB LAYOUT FOR SEAF-XX-XX.X-XX-XX-XX AND SEAFC-XX-XX.X-X-XX-X-X



-<u>GPK OPTION</u> FOOTPRINT FOR SEAF-20-XX.X-XX-06-X-A-GPK AND SEAFC-20-XX.X-X-06-X-X-GPK SHOW (SAME AS FIG 1, EXCEPT AS SHOWN) (NOT AVAILABLE WITH -LP & -PP OPTIONS) (STENCIL SAME AS FIG 2)

| TABLE 4 | | |
|------------|-------------|--------------|
| No. OF ROW | "K" | "L" |
| -04 | .000 [0.00] | .280 [7.11] |
| -05 | .050 [1.27] | .380 [9.65] |
| -06 | .050 [1.27] | .380 [9.65] |
| -08 | .100 [2.54] | .480 [12.19] |
| -10 | .150 [3.81] | .580 [14.73] |
| -14 | .250 [6.35] | .780 [19.81] |

| TABLE 5 | | |
|---------------|--|--|
| "M" | | |
| 2.100 [53.34] | | |
| 2.600 [66.04] | | |
| 3.100 [78.74] | | |
| 3.600 [91.44] | | |
| | | |


NOTES:

- 1. ALL DIMENSIONS ARE SYMMETRIC ABOUT THE CENTERLINE. 2. CONNECTOR ENVELOPE DIMENSIONS, OTHER COMPONENTS
- PLACED ON PCB SHALL AVOID THIS ZONE.
- 3. METRIC SCREW ENVELOPE ON BOTTOM SIDE OF PCB, OTHER COMPONENTS PLACED ON PCB SHALL AVOID THIS ZONE.





X



F:\DWG\MISC\Mktg\Footprnt\SEAF-XX-XX.X-XX-XX-A-XX-FOOTPRINT.SLDDRW

-SHEET 8 OF 8