
# **REVISION AF**

DO NOT **SCALE FROM** THIS PRINT

#### NOTES:

- 1. MINIMUM PUSHOUT FORCE: .5 LB.
- 2. NOTE DELETED.
- 3. © REPRESENTS A CRITICAL DIMENSION.
- 4. NOTE DELETED.
- 5. DUE TO THE HIGH AMOUNT OF INSERTION FORCE NEEDED, THE -LC OPTION IS NOT COMPATIBLE WITH AUTO PLACEMENT. SAMTEC RECOMMENDS MANUAL PLACEMENT FOR ALL ASSEMBLIES WITH THE -LC OPTION.
- 6. TO BE MEASURED FROM A DATUM LINE MADE BY THE INSULATOR.
- 7. TUBES ARE STANDARD PACKAGING.
- 8. ORDERS WILL BE PACKAGED ACCORDING TO THE SAMTEC PACKAGING EFFICIENCY STANDARDS (SPES) FOUND ON WWW.SAMTEC.COM.
- 9. ATTACH LABEL TO EACH REEL.



# No OF POSITIONS PER ROW -05 THRU -50

**LEAD STYLE** -02

SFMH-1XX-XX-XXX-D-XX-XX

#### **PLATING SPECIFICATION** (VALUES GIVEN ARE IN MICRO-INCHES)

- -L: 10µ" GOLD IN CONTACT AREA, GOLD FLASH ON TAIL (USE C-108-G & C-109-G)
- 3µ" GOLD IN CONTACT AREA, GOLD FLASH ON TAIL (USE C-108-FG & C-109-FG)
- 30µ" GOLD IN CONTACT AREA, MATTE TIN ON TAIL (USE C-108-S & C-109-S)
- -LM: 10µ" GOLD IN CONTACT AREA, MATTE TIN ON TAIL (USE C-108-LM & C-109-LM)
- -STL: 30u" GOLD IN CONTACT AREA. TIN/LEAD ((90/10+/-5%)TAIL (USE C-108-STL & C-109-STL)
- -FTL: 3µ" GOLD IN CONTACT AREA
- TIN/LEAD (90/10+/-5%) TAIL (USE C-108-FTL & C-109-FTL) -LTL: 10µ" GOLD IN CONTACT AREA,
  - TIN/LEAD (90/10+/-5%) TAIL (USE C-108-LTL & C-109-LTL)

SEE PP-C-108-XXX & PP-C-109-XXX FOR PLATING DETAILS.

( \* = NOT TOOLED)

**PACKAGING** 

(SEE NOTE 5)

**ROW SPECIFICATION** 

-D: DOUBLE ROW

**OPTIONS** 

BLANK: TUBES (SEE NOTE 7)

(SEE NOTES 8 & 9)

-LC: LOCKING CLIP (SEE FIG 1, SHT 1)

\* -SL: SOLDER LOCK (SEE FIG 2, SHT 2)

-WT: WELD TAB (SEE FIG. 3, SHT 2)


-TR: TAPE & REEL (SEE NOTES 8 & 9)


-FR: FULL REEL QTY TAPE & REEL

(NOT AVAILABLE W/ -WT OPTION)

(NOT AVAILABLE W/ -LC OPTION)

(AVAILABLE ON POSITIONS -05 THRU -30)








FIG 1 SFMH-110-02-XXX-D-LC SHOWN

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. TOLERANCES ARE:

DECIMALS ANGLES .XX: ±.01 [.3] .XXX: ±.005 [.13] .XXXX: ±.0020 [.051]

PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART. TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY

OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING SHEET SCALE: 2:1

INSULATOR: LCP, UL 94 VO, COLOR: BLACK CONTACT: PHOS BRONZE

DESCRIPTION:

.050 x .050 SOCKET STRIP ASSEMBLY

DWG. NO.

SFMH-1XX-XX-XXX-D-XX-XX

520 PARK EAST BLVD, NEW ALBANY, IN 47150


PHONE: 812-944-6733 FAX: 812-948-5047


e-Mail\_info@SAMTEC.com


F:\DWG\MISC\Mkta\SFMH-1XX-XX-XXX-D-XX-XX-MKT.SLDDRW


BY: J. BROWNING 12/07/2009 SHEET 1 OF 3

code 55322














FIG 3 SFMH-110-02-XXX-D-WT SHOWN (DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)




SFMH-1XX-XX-XXX-D-XX-XX
BY:J. BROWNING 12/07/2009 SHEET 2 OF 3



**TUBE VIEW** USE TUBE PT-1-24-01-38 USE PLUG TP-24 (2)





## **TAPE & REEL VIEW**

F:\DWG\MISC\Mktg\SFMH-1XX-XX-XXX-D-XX-XX-MKT.SLDDRW

### PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 2:1



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

.050 x .050 SOCKET STRIP ASSEMBLY

SFMH-1XX-XX-XXX-D-XX-XX

BY: J. BROWNING2/07/2009 SHEET 3 OF 3