т	۵ D	н <b>т</b>		0







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 09

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

-Standard : Based on MIL-DTL-38999 Series III

	-Shell Material	: Aluminium			
	-Shell Plating	: Nickel			
	-Insulator	: Thermoplastic			
	-Contacts	: Copper Alloy			
	-Seals & Grommet	Silicon Elastomer			
N	-Contact Plating	: Gold over copper Alloy $0.8 \mu m$ minimum			
	-Durability	: 500 Mating cycles			
	-Delivered with Souriau contacts and Accessories				
	-Temperature Range	: -65°C to +200°C			
	-Salt Spray	: 48 hours			
_	-Mass	: 10.45 g ± 10%			

8D 0

G

09

-

F

98

В

F

А

Р	3.25±0.2
PP	5.49±0.2
R1	18.26
R2	15.09
S	23.8±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
VV THREAD	M12x1-6g

**ORIENTATION : A** 

CONTACT LAYOUT : 09-98

CONTACT TYPE : SOCKET(500 Matings)

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



Ξ		A			
				4	
AS EXAMPLE				3	
r any non-conformi s which does not co er of the Parties or ndation, technical r untry Juriso FR 99F98BA	omply with by a third part			2	
	CUSTOME	R DRAWING	MOD N°		
um Receptacle 8D series					
ar :	NPRDS / PROJECT 859				
J.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission					
U DRG N° 998BA-C			SHEET		
B		A		J	

r	Ŧ	۵	<del>ات</del>	m		0	
		Contact Layout					Panel Cutou
4	-X <u></u>	$ \begin{array}{c}                                     $			A	SQUARE FLANGE RECEPTACLE (T) REAR MOUNTING	YPE 0)
	Conta positio ID A B C C Shell Arrangement Numb size no. conta 9 -98 3	n X-axis Y-axis (mm) (mm) +065 (1.65) +038 (0.97) +.000 (0.00)075 (1.91) 065 (1.65) +.038 (0.97) er of Size Service Contact Supersedes acts contacts rating location			£ 22		ØT
ω							Dim ØA ØAA R1 ØT
	F						
						the Specifications is	f the Products wh
N						PI	Countr FR N: 8D0091
_					A 03-10-20 ISS DATE Designed By:	16 First Release Latest modification Date:	- by
					TITLE		Aluminium
<u> </u>					SCALE NA		General linear Tolerances: ±
					SOURIA	U WWW.S	Souriau.c
				_	FORMAT A3		SOURIAU 8D009F9
·	Н	G	F	E	D	С	

