
I	D	п	т	0







LAYOUT SHOWN AS

Keying Shown as example

## CHARACTERISTICS

BASIC SERIES:

SHELL SIZE : 13

PLATING : F = Nickel

Н

SHELL TYPE : Square Flange Receptacle

CONTACT TYPE : Standard Crimp Contact

ယ

 $\sim$ 

-Standard : Based on MIL-DTL-38999 Series III

-Shell Material : Aluminium : Nickel -Shell Plating -Insulator : Thermoplastic -Contacts : Copper Alloy : Silicon Elastomer -Seals & Grommet -Contact Plating : Gold over copper Alloy 0.8µm minimum -Durability : 500 Mating cycles -Delivered with Souriau contacts and Accessories : -65°C to +200°C -Temperature Range : 48 hours -Salt Spray -Mass : 15.71 g ± 10%

8D 0

G

13

F

04

Ν


А

F

Dim	Nominal
Р	3.25±0.2
PP	4.93±0.2
R1	23.01
R2	20.62
S	28.6±0.3
V	20.83+0/-1.25
W	2.1/2.5
Z	31.5 Max
VV THREAD	M18x1-6g

Е

SOURIAU shall not be liable for due to a use of the Products the Specifications issued by either (professional recomment



σ		А		_		
				4		
S EXAMPLE				3		
any non-conformi	ty or damage					
any non-conformity or damage which does not comply with or of the Parties or by a third party adation, technical notice.)						
Intry Jurisc	Jurisdiction & Control List Not Listed					
3F04AN						
			·			
	CUSTOME	R DRAWING	MOD N°			
um Receptacle 8D series						
ar	NPRDS / PROJECT 859					
J.COM This document is the property of SOURIAU it must not be reproduced or communicated without permission						
UDRG N° SHEET						
F04AN-C B		A	1/2	J		

	T	<u>م</u>	וד	m		C	
		Contact Layout					Panel Cutout
4	-×	$ \begin{array}{c}                                     $			× -	SQUARE FLANGE RECEPTACLE (TYP REAR MOUNTING	νΕ 0)
	position A B C D Shell Arrangement N	ID         (mm)         (mm)           +000 (0.00)         +.150 (3.81)           +.146 (3.71)         +.035 (0.89)           +.000 (0.00)        083 (2.11)          146 (3.71)         +.035 (0.89)			¥		ØA Dim
ى ع							ØA ØAA R1 ØT
						the Specifications is	the Products whi
N					A 14-10-20	PN	I: 8D013F
					ISS DATE Designed By:	Latest modification - Date:	- by
-					SCALE NA		Aluminium General linear Tolerances: ±
					FORMAT		OURIAU.C
					A3		8D013F0
·	Н	G	F	E	D	С	

