
	ະ   ົ		т	т		0	₩	A	
4		V Thread							4
ω						LAYOUT SHOWN AS EX	AMPLE		3
			Keying Shown as example						
CHARACTE	ISTICS			nector dimension					
-Standard :	ased on MIL-DTL-38999 Series III		Dim	Nominal					
-Shell Mate -Shell Platin -Insulator -Contacts	: Nickel : Thermoplastic : Copper Alloy		ØS Z VV THRE	35.7 Max 31 Max AD M25x1-6g		SOURIAU shall not be liable for any due to a use of the Products whi the Specifications issued by either of (professional recommendation)	ch does not comply with the Parties or by a third party		
-Seals & Gro ► -Contact Pla		0.8um minimum				Country FR	Jurisdiction & Contro Not Listed	ol List	2
-Durability	: 500 Mating cycles th Souriau contacts and Accessories					PN: 8D517F			
-Temperatu	-				A 14-10-2016	First Release			
-Salt Spray	: 48 hours				ISS DATE Designed By:	Latest modification - by Date:	CUSTOMER I	MOD N° DRAWING	,
					TITLE	TITLE Aluminium Plug 8D series			
BASIC SERIE	: 8D 5 : Plug with RFI Shielding	- 17 F 20	AN		SCALE	General linear Tolerances: ±	NPRDS / PI 859	9	1
	CONTACT TYPE     : Standard Crimp Contact       SHELL SIZE : 17     CONTACT TYPE : PIN(500 Ma				SOURIAU         This document is the property SOURIAU           it must not be reproduced or communicated without permise				
PLATING	F = Nickel			CONTACT LAYOUT : 17-20	FORMAT	SOURIAU		SHEET	-
	. 1				A3	8D517F2		1/2	
	H G		F I	E	D	C	B	A	

	Ŧ	۵	п п	m		<b>O</b>	
4	(	Contact Layout 20* 4# 12 16#22D					
3	Ctc A B C D 1 2 3 4 5 6 7 8 9 10 11	17-20         X       Y         0       5.51         3.17       0         0       -5.51         -3.17       0         4.16       7.06         4.29       4.29         7.11       4.03         8.05       1.4         8.05       -1.4         7.11       -4.03         4.29       -4.29         4.16       -7.06         -4.16       -7.06         -4.29       -4.29         -7.11       -4.03				SOURIAU shall not be liable for due to a use of the Produc the Specifications issued by eith (professional recomme	ts v ner end
2 1	12 13 14 15 16	-8.05       -1.4         -8.05       1.4         -7.11       4.03         -4.29       4.29         -4.16       7.06			ISS DATE Designed By: TITLE SCALE NA SOURIA FORMAT A3	PN: 8D5: PN: 8D5: D16 First Release Latest modification - by Date: Alui General line Tolerance ± U WWW.SOURIAL SOURIA 8D51	mi ear es: U.(
	Н	G	F	E	D	C	



Þ

σ