DEMKO CERTIFICATE

Certificate No. D-04563 Page 1/3

Date of Issue 2015-10-07

Certificate Holder SL POWER ELECTRONICS CORP

BLDG A

6050 KING DR

VENTURA CA 93003 USA

Manufacturer SL POWER ELECTRONICS CORP

BLDG A 6050 KING DR

VENTURA CA 93003 USA

Production site INDUSTRIAS S L S A DE C V

CIRCUITO SIGLO XXI 2055 COL PARQUE INDUSTRIAL EX-XXI

21254 MEXICALI BC

MEXICO

See Page 2

Certified Product Power Supply

Model AU300SXXYWW, AU425SXXYWW

See Page 2

Trademark SL Power Electronics Corp.

SL

Rated Voltage / Frequency Input: 100-240 Vac, 50-60 Hz

Rated Current / Power Input: 4.5A
Insulation Class Class I (earthed)

Degree of protection (IP) IP X0

Tested acc. to EN 60950-1:2006/A11:2009, EN 60950-1:2006/A12:2011, EN

60950-1:2006/A1:2010, EN 60950-1:2006/A2:2013, EN 60950-

1:2006

Test Report No. E135803-A74-CB-2 issued on 2015-09-29

Additional See Page 2 for Output ratings

Expire date 2025-10-06

Certification Manager Jan-Erik Storgaard This is to certify that representative sample(s) of the Product described herein ("Certified Product") have been investigated and found in compliance with the Standard(s) indicated on this Certificate, in accordance with the D Mark Requirements. The Designated Certificate holder is entitled to use the d or for cables <DEMKO> for the Certified Product manufactured at the production site(s) identified above, in accordance with the D Mark Service Agreement, including without limitation the D Mark Testing and Certification Services Service Terms. Only those Products bearing the D Mark should be considered as being covered by UL's D Mark Service. This Certificate shall remain valid through the expiration date, unless terminated earlier in accordance with the Service Agreement including without limitation if the Standard identified on this Certificate is amended or withdrawn prior the expiration date.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



Appendix DEMKO CERTIFICATE

Certificate No. D-04563 Page 2/3

Date of Issue 2015-10-07

Model Details:

AU300SXXYWW, AU425SXXYWW; Where A can be T or L, XX represents output voltage which may be any number from 12 to 56, Y can be A-Z or blank (for Class I construction), WW may be any number from 00 to 99 or blank, designates additional configurations indicating non-safety related options.

Production Sites:

SL XIANGHE POWER ELECTRONICS CORP NO. B-02-03, NORTH SIDE OF LANDSCAPE AVE, QIBU DISTRICT, ENVIRONMENTAL INDUSTRIAL PARK XIANGHE HEBEI 065400 CHINA

External Certification Information: US-26118-UL dated 2015-10-06 issued by UL (US)

Additional Information:

Output:

For AU425SXXYWW and AU300SXXYWW with convection cooled, total max. 300W

Main output: 12 Vdc/22.0 A to 23.9Vdc/11.05A, 24Vdc/11.9A to 56Vdc/5.1A

Standby output: 5Vdc/2.0A Fan output: 12Vdc/0.5A

For AU425SXXYWW with airflow of Min. 32CFM(200LFM), total max. 425W Main output: 12 Vdc/32.2 A to 23.9Vdc/16.15A, 24Vdc/16.8A to 56Vdc/7.2A

Standby output: 5Vdc/2.0A Fan output: 12Vdc/1.0A

This certificate replaces the certificate No. D-03135-A1 dated 2015-02-03 due to standard upgrade.

Certification Body

UL International Demko A/S, Borupvang 5A, DK-2750 Ballerup, Denmark, Tel. +45 44 85 65 65, info.dk@ul.com www.ul-europe.com



