

# Dual-Port USB Car Charger with 39W Charging - USB-C (27W) PD 3.0, USB-A (12W), Black

MODEL NUMBER: U280-C02-39W-1B











2-port car charger quickly and safely charges 2 tablets, smartphones and other USB-C or USB-A devices at the same time.

#### **Features**

**USB Car Charger Safely Charges 2 Mobile Devices in Your Vehicle Simultaneously**This dual-port USB car charger with Power Delivery (PD) 3.0 technology lets you quickly and safely charge two USB mobile devices at the same time. You and a passenger can connect your smartphones, tablets, notebooks or power banks, to name just a few compatible devices, to ensure satisfactory battery charge when you reach your destination.

A Combined 39W of Charging Power Feeds Your Power-Hungry Devices When used together, the USB-C and USB-A ports support up to 39W of charging power. The fast-charging 27W (5V 3A or 9V 3A) USB-C PD 3.0 port keeps larger devices, such as your USB-C laptop, at capacity, while the smartcharging 12W (5V 2.4A) USB-A port reliably charges smartphones and tablets.

Plugs into the 12V DC Power Outlet in Your VehicleThe compact charger connects to any standard 12V DC vehicle power outlet, such as the one on your dashboard. Just plug it in, and connect your devices' USB cables for fast, convenient mobile charging. An easy-to-see green LED indicates the charger is receiving power. The U280-C02-39W-1B is compatible with Apple (including iPhone), Android (including Samsung), Windows and Amazon devices with USB-A, USB-C or Thunderbolt 3 charging ports.

### **Highlights**

- 2-port USB charger connects to the 12V DC power outlet in your car, truck or SUV
- Ideal for charging smartphones, tablets, e-readers and notebooks while traveling
- Maximum charging power output of 39W: 27W USB-C and 12W USB-A
- Prevents overheating and overcharging to shield your essential device from damage
- USB-C Power Delivery 3.0 port charges up to 4x faster than conventional USB chargers

### **Applications**

 Charge up to 2 smartphones, tablets, power banks, e-readers, notebooks or any other USB-A, USB-C or Thunderbolt 3 devices while driving to your destination

#### **System Requirements**

Vehicle with standard 12V DC power outlet

## **Package Includes**

 U280-C02-39W-1B Dual-Port USB Car Charger, Black

# **Specifications**

OVERVIEW		
UPC Code	037332254085	
Product Type	Car Charger	
Charging Form Factor	Direct Plug-In	
Device Compatibility	Phone; Tablet; Amazon Kindle; Laptop; Chromebook	
Technology	USB	



INPUT		
Nominal Input Voltage(s) Supported	12V DC	
Input Connection Type	Automatic Vehicle Cigarette Lighter	
Input Plug Type	Car Auxiliary Power Outlet	
Product Length (in.)	1.98	
Product Length (cm.)	5.03	
Product Length (ft.)	0.165	
Product Length (m.)	0.05	
ОИТРИТ		
Output Capacity	USB-A: 5V/2.4A; USB Type-C: 5V/3A, 9V/3A	
Output Watt Capacity (Watts)	39	
Overload Protection	Yes	
POWER		
USB Power Delivery (PD) Charging Support	Yes	
USB Power Delivery (PD) Charging Specification	3.0	
USER INTERFACE, ALERTS & CON	TROLS	
LED Indicators	Green (Power)	
CHARGING		
Number of Charging Ports	2	
Total Charging Amps	5.4A	
Total Charging Watts	39	
Charging Method	USB	
Charging Port Type	USB A (FEMALE); USB C (FEMALE)	
Charging Ports Details	USB-C: 5V 3A (15W) or 9V 3A (27W) , PD 3.0USB-A: 5V 2.4A (12W)	
Charging Ports / Amps	2.4A; 3A	
Charging Method Detail	Power Delivery 3.0	
PHYSICAL		
Material of Construction	ABS, PVC	
Color	Black	
Unit Dimensions (hwd / in.)	0.77 x 1.99 x 1.28	
Unit Dimensions (hwd / cm)	1.95 x 5.05 x 3.25	





Unit Packaging Type	Polybag
Unit Weight (lbs.)	0.057
Unit Weight (kg)	0.03
ENVIRONMENTAL	
Operating Temperature Range	32 to 86°F (0 to 30°C)
Storage Temperature Range	-4 to 140°F (-20 to 60°C)
Operating Humidity Range	30% to 90% RH
Storage Humidity Range	10% to 90% RH
CONNECTIONS	
Number of Ports	2
Side A - Connector 1	Car Cigarette Lighter
Side B - Connector 1	USB A (FEMALE)
Side B - Connector 2	USB C (FEMALE)
FEATURES & SPECIFICATIONS	
Over Current Protection	Yes
Driver Required	No
Quick Charge Compliant	No
Overcurrent Protection	Yes
Overvoltage Protection	Yes
GaN Technology	No
STANDARDS & COMPLIANCE	
Product Compliance	RoHS; CE (Europe); REACH; FCC (USA)
WARRANTY	
Product Warranty Period (Worldwide)	2-year limited warranty

© 2022 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: <a href="https://www.tripplite.com/products/product-certification-agencies">https://www.tripplite.com/products/product-certification-agencies</a>