



Leaded Magnetics Packaging Methods

REEL PACK


| TAPE AND REEL in inches [millimeters] | | | | | | | | | | | |
|---|---------------|-------------------------------|----------------------------|-----------|------------------------|---------------------|-------------|---------------|-------------------------------|----------------------------|-------------|
| MODEL | PREVIOUS CODE | GLOBAL CODE LEAD (Pb)-BEARING | GLOBAL CODE LEAD (Pb)-FREE | REEL SIZE | CARRIER TAPE WIDTH (W) | COMPONENT PITCH (P) | UNITS/ REEL | PREVIOUS CODE | GLOBAL CODE LEAD (Pb)-BEARING | GLOBAL CODE LEAD (Pb)-FREE | UNITS/ BULK |
| IRF-24 | - | - | ER | 12 | 2.06 [52.39] | 0.2 [5.08] | 5000 | - | - | - | - |
| IRF-36 | - | - | ER | 12 | 2.06 [52.39] | 0.2 [5.08] | 5000 | - | - | - | - |
| IRF-46 | - | - | ER | 12 | 2.06 [52.39] | 0.2 [5.08] | 3000 | - | - | - | - |
| IHD-1 | R16 | RR | ER | 12 | 2.06 [52.39] | 0.4 [10.16] | 800 | B08 | BH | EB | 50 |
| IHD-3 | RA3 | AC | ER | 12 | 2.87 [72.90] | 0.6 [15.24] | 200 | B08 | BH | EB | 190 |
| IHD-2 | - | - | - | - | - | - | - | - | - | EB | 150 |
| IHD-4 | - | - | - | - | - | - | - | - | - | EB | 60 |
| IHA-101 | - | - | - | - | - | - | - | B01 | BA | EB | 210 |
| IHA-102 | - | - | - | - | - | - | - | B01 | BA | EB | 210 |
| IHA-103 | - | - | - | - | - | - | - | B01 | BA | EB | 200 |
| IHA-104 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-105 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-201 | - | - | - | - | - | - | - | B01 | BA | EB | 200 |
| IHA-202 | - | - | - | - | - | - | - | B01 | BA | EB | 180 |
| IHA-203 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-204 | - | - | - | - | - | - | - | B01 | BA | EB | 120 |
| IHA-205 | - | - | - | - | - | - | - | B01 | BA | EB | 75 |
| IHA-301 | - | - | - | - | - | - | - | B01 | BA | EB | 210 |
| IHA-302 | - | - | - | - | - | - | - | B01 | BA | EB | 240 |
| IHA-303 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-304 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-305 | - | - | - | - | - | - | - | B01 | BA | EB | 160 |
| IHA-501 | - | - | - | - | - | - | - | B01 | BA | EB | 210 |
| IHA-502 | - | - | - | - | - | - | - | B01 | BA | EB | 200 |
| IHA-503 | - | - | - | - | - | - | - | B01 | BA | EB | 75 |
| IHA-504 | - | - | - | - | - | - | - | B01 | BA | EB | 75 |
| IHA-505 | - | - | - | - | - | - | - | B01 | BA | EB | 75 |
| IHTH-0750IZ | - | - | - | - | - | - | - | - | - | EB | 100 |
| IHTH-1125KZ | - | - | - | - | - | - | - | - | - | EB | 50 |
| IHTH-1500MZ | - | - | - | - | - | - | - | - | - | EB | 25 |
| IHTH-1500TZ | - | - | - | - | - | - | - | - | - | EB | 25 |
| IHXL-1500VZ | - | - | - | - | - | - | - | - | - | EB | 100 |
| IHXL-2000VZ | - | - | - | - | - | - | - | - | - | EB | 50 |
| IH-3 5 μ H, 27 μ H, 50 μ H, 100 μ H | - | - | - | - | - | - | - | B15 | BQ | EB | 150 |
| IH-3 10 μ H | - | - | - | - | - | - | - | B15 | BQ | EB | 200 |
| IH-3 150 μ H | - | - | - | - | - | - | - | B15 | BQ | EB | 50 |
| IH-3 250 μ H | - | - | - | - | - | - | - | B15 | BQ | EB | 75 |
| IH-4 0 μ H | - | - | - | - | - | - | - | B15 | BQ | EB | 160 |



| TAPE AND REEL in inches [millimeters] | | | | | | | | | | | |
|---------------------------------------|---------------|-------------------------------|----------------------------|-----------|------------------------|---------------------|-------------|---------------|-------------------------------|----------------------------|-------------|
| MODEL | PREVIOUS CODE | GLOBAL CODE LEAD (Pb)-BEARING | GLOBAL CODE LEAD (Pb)-FREE | REEL SIZE | CARRIER TAPE WIDTH (W) | COMPONENT PITCH (P) | UNITS/ REEL | PREVIOUS CODE | GLOBAL CODE LEAD (Pb)-BEARING | GLOBAL CODE LEAD (Pb)-FREE | UNITS/ BULK |
| IH-5 5 μH, 10 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 200 |
| IH-5 27 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 150 |
| IH-5 50 μH, 68μH, 100 μH, 150 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 50 |
| IH-10 5 μH, 10 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 150 |
| IH-10 27 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 50 |
| IH-10 50 μH, 68 μH, 100 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 75 |
| IH-15 5 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 50 |
| IH-15 10 μH, 27 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 75 |
| IH-15 50 μH | - | - | - | - | - | - | - | B15 | BQ | EB | 60 |
| IHM-2 | - | - | - | - | - | - | - | P12 | PM | EB | 20 |
| IHB-1 | - | - | - | - | - | - | - | B40 | BV | EB | 48 |
| IHB-2 | - | - | - | - | - | - | - | B40 | BV | EB | 30 |
| IHB-3 | - | - | - | - | - | - | - | B40 | BV | EB | 20 |
| IHB-4 | - | - | - | - | - | - | - | B40 | BV | EB | 16 |
| IHB-5 | - | - | - | - | - | - | - | B40 | BV | EB | 16 |
| IHB-6 | - | - | - | - | - | - | - | B40 | BV | EB | 16 |
| IHV-15-500 | - | - | - | - | - | - | - | B48 | BZ | EB | 10 |
| IHV-20-200 | - | - | - | - | - | - | - | B48 | BZ | EB | 10 |
| IHV-28-60 | - | - | - | - | - | - | - | B48 | BZ | EB | 14 |
| IHV-30-150 | - | - | - | - | - | - | - | B48 | BZ | EB | 5 |
| IHV-40-39 | - | - | - | - | - | - | - | B48 | BZ | EB | 10 |
| IHV-45-92 | - | - | - | - | - | - | - | B48 | BZ | EB | 5 |
| IHV-50-50 | - | - | - | - | - | - | - | B48 | BZ | EB | 5 |
| IHV-60-24 | - | - | - | - | - | - | - | B48 | BZ | EB | 5 |
| TJ3-1U | - | - | - | - | - | - | - | T07 | TG | EB | 260 |
| TJ3-2U | - | - | - | - | - | - | - | T07 | TG | EB | 169 |
| TJ3-1U-HT | - | - | - | - | - | - | - | - | - | EB | 260 |
| TJ3-2U-HT | - | - | - | - | - | - | - | - | - | EB | 169 |
| TJ4-1U | - | - | - | - | - | - | - | T07 | TG | EB | 220 |
| TJ4-2U | - | - | - | - | - | - | - | T07 | TG | EB | 121 |
| TJ5-1U | - | - | - | - | - | - | - | T07 | TG | EB | 170 |
| TJ5-2U | - | - | - | - | - | - | - | T07 | TG | EB | 100 |
| TJ5-1U-HT | - | - | - | - | - | - | - | - | - | EB | 170 |
| TJ5-2U-HT | - | - | - | - | - | - | - | - | - | EB | 100 |
| TJ6-1U | - | - | - | - | - | - | - | T07 | TG | EB | 70 |
| TJ6-2U | - | - | - | - | - | - | - | T07 | TG | EB | 49 |
| TJ7-1U | - | - | - | - | - | - | - | T07 | TG | EB | 66 |
| TJ7-2U | - | - | - | - | - | - | - | T07 | TG | EB | 30 |
| TJ8-1U | - | - | - | - | - | - | - | T07 | TG | EB | 28 |
| TJ8-2U | - | - | - | - | - | - | - | T07 | TG | EB | 16 |
| TJ9-1U | - | - | - | - | - | - | - | T07 | TG | EB | 18 |
| TJ9-2U | - | - | - | - | - | - | - | T07 | TG | EB | 9 |
| IWAS-4832FF | - | - | - | - | - | - | - | - | - | EB | 100 |
| IWAS-4832EC | - | - | - | - | - | - | - | - | - | EB | 100 |
| IHDM1008 | - | - | - | - | - | - | - | - | - | EV | 270 |
| IHDM1107 | - | - | - | - | - | - | - | - | - | EV | 240 |
| IHDF1300 | - | - | - | - | - | - | - | - | - | EH | 240 |
| IHPT1411 | - | - | - | - | - | - | - | - | - | EB | 40 |



| MILITARY PART ORDERING EXAMPLES | | |
|--|--|--|
| TRANSFORMERS AND INDUCTORS | | |
| MIL-T-27E (Basic [TF]) (Established Reliability - None) $\frac{M27}{1} \frac{215}{2} \frac{05}{3} = \text{Dale Type TE-3Q0TR 1.0 mH 2 \%}$ | | 1. Military specification 2. Specification sheet number 3. Specification sheet dash number indicating value and electrical ratings |
| MIL-C-15305E (Basic [LT]) (Established Reliability MIL-C-39010) Note: Parts will be color banded. Value per military standard dash numer. $\frac{LT}{1} \frac{4}{2} \frac{K}{3} = \text{Dale Type IM-2 0.10 } \mu\text{H to 1.00 } \mu\text{H 10 \%}$ | | 1. Style 2. Grade and class 3. Family K = Coil, radio frequency, fixed |