

Specification Sheet


Part Number: 596-00949

HellermannTyton Voltage Markers are available in three sizes to best suit application requirements.

Glare-free surface for easy identification from any angle.

Resists moisture for long-lasting durability.

Markers are flexible to wrap securely around various size wires, pipes and conduit.



Voltage Marker, 0.50" x 2.25", 440 Volts, Vinyl, Orange, 17/card, 50 cards/pkg

| | |
|---------------------|--|
| Article Number | 596-00949 |
| Type | VM440C |
| Color | Orange (OG) |
| Quantity Per | pack |
| Product Description | HellermannTyton Pre-Printed Voltage Markers are made of durable vinyl and are available with the most commonly used warnings and alerts. The self-adhesive markers allow users to clearly identify electrical lines, voltages and hazards. The durable adhesive backing is resistant to UV exposure as well as chemicals and solvents. Use voltage markers on conduit, pipe, circuit boxes or electrical panels. |
| Short Description | Voltage Marker, 0.50" x 2.25", 440 Volts, Vinyl, Orange, 17/card, 50 cards/pkg |

| | |
|--------------------------------|----------------------------------|
| Global Part Name | VM440C-V-OG |
| Length L (Imperial) | 2.25 |
| Length L (Metric) | 57.15 |
| Width W (Imperial) | 2.25 |
| Width W (Metric) | 57.15 |
| Thickness T (Imperial) | 4 |
| Thickness T (Metric) | .10 |
| Height H (Imperial) | 0.50 |
| Height H (Metric) | 12.70 |
| Material | Vinyl (V) |
| Material Shortcut | V |
| Adhesive | Acrylic |
| UV Resistant (Yes/No) | No |
| Adhesive Operating Temperature | -40°F to +176°F (-40°C to +80°C) |

Operating Temperature -40°F to +176°F (-40°C to +80°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 50

Package Quantity (Metric) 50

Customs Number 3919905060