



Product Service

CERTIFICATE

No. Z1A 065969 0261 Rev. 00

Holder of Certificate: **XP Power Limited**
401 Commonwealth Drive
Haw Par Technocentre, Lobby B, #02-02
Singapore 149598
SINGAPORE

Certification Mark:



Product: **Adaptors**
(SWITCHING POWER ADAPTOR)

Tested according to: EN 62368-1:2014/A11:2017
EK1 557-13

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition, the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 652101916201A

Valid until: 2025-05-24

Date, 2020-06-04

(Rickyet Wang)

CERTIFICATE

No. Z1A 065969 0261 Rev. 00

Factories: 049020

Model(s): VEP24USzzz, VEP24USzzz-xx
(zzz=030-240 stands for the rated output voltage range from 3.0VDC to 24.0VDC, the last 'z' shall be omitted if the value is '0'; x can be 0-9 or A-Z for commercial purpose)

Brand Name: XP



Parameters:

Rated Input: 100-240VAC, 50-60Hz, 0.6A

Rated Output: See below table for details

Protection Class: II

Degree of Protection: IP20



CERTIFICATE

No. Z1A 065969 0261 Rev. 00

Model	Rated output voltage (VDC)	Rated output current (A)	Rated output power (W)
VEP24USzzz, VEP24USzzz-xx	3.0	2.50	7.50
	3.3	2.50	8.25
	3.6	2.50	9.00
	4.0	2.50	10.00
	4.2	2.50	10.50
	4.5	2.50	11.25
	4.8	2.50	12.00
	5.0	2.50	12.50
	5.2	2.50	13.00
	5.5	2.50	13.75
	6.0	2.50	15.00
	6.5	2.50	16.25
	7.0	2.50	17.50
	7.5	2.50	18.75
	8.0	2.50	20.00
	8.5	2.50	21.25
	9.0	2.20	19.80
	9.8	2.20	21.56
	10.0	2.20	22.00
	10.5	2.00	21.00
	12.0	2.00	24.00
	12.6	1.90	23.94
	13.0	1.85	24.05
	13.8	1.75	24.15
	15.0	1.60	24.00
	16.0	1.50	24.00
16.5	1.45	23.925	
18.0	1.33	23.94	
20.0	1.20	24.00	
22.0	1.09	23.98	
23.0	1.04	23.92	
24.0	1.00	24.00	