

Product: <u>5520UE</u> ☑

Security & Sound, 2 Conductor 22 AWG BC, Riser

Product Description

Security & Commercial Audio Cable, 2 Conductor 22 AWG solid bare copper conductors with polyolefin insulation, Riser, PVC jacket with ripcord.

Technical Specifications

Product Overview

Cuitable Applications:	Converte Suptamo	ereem/DA Systems Sound	Audio Sustema Day	un Limited Controls Single Line Telephon
Suitable Applications:	Security Systems, Int	ercom/PA Systems, Sound	Audio Systems, Pov	ver Limited Controls, Single Line Telephon
Construction Details				
Conductor				
Element Number of Elem	nent Size Strandin	g Material		
Conductor(s) 2	22 AWG Solid	BC - Bare Copper		
Insulation	No. Thislance		O day O a da	
Element Material Conductor(s) PP - Polypropyle	Nom. Thickness I ene 0.007 in (0.18 mm) (Nom. Insulation Diameter	Color Code Black, Red	
		5.040 iii (1.0 iiiii)	black, Neu	
Outer Shield				
Material				
No Shield				
Outer Jacket				
Material Non	n. Thickness Nom. Diar	neter Ripcord		
PVC - Polyvinyl Chloride 0.017	' in (0.43 mm) 0.114 in	Yes		
Overall Cable Diameter (Nomin	al): 0.114 in			
Electrical Characteristi	cs			
Electricals				
	Capacitance Cond-to-Co	2.8 Amps per Conduct		
18.4 Obm/1000ft 10 pE		2.0 Amps per Conduc		
18.4 Ohm/1000ft 19 pF/				
18.4 Ohm/1000ft 19 pF/ Voltage		!		
Voltage UL Voltage Rating				
Voltage				
Voltage UL Voltage Rating				
Voltage UL Voltage Rating 300 V				
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature	stics			
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature UL Temperature Operation	stics			
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature	stics			
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature UL Temperature Operation	stics			
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature UL Temperature Operating 75°C -20°C To +7	stics 5°C			
Voltage UL Voltage Rating 300 V Mechanical Characteris Temperature UL Temperature Operatin 75°C -20°C To +7 Bend Radius	stics 5°C			

Bulk Cable Weight:	71

7 lbs/1000ft

Standards and Compliance				
Environmental Suitability:	Indoor - Riser, Indoor			
Flammability / Reaction to Fire:	UL1666 Riser, FT4			
NEC / UL Compliance:	Article 800, CMR			
CEC / C(UL) Compliance:	CMG			
European Directive Compliance:	EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)			
APAC Compliance:	China RoHS II (GB/T 26572-2011)			
Plenum Number:	6520UE			

History

Update and Revision:

Revision Number: 0.354 Revision Date: 12-20-2022

Part Numbers

Variants

ltem #	Color	Putup Type	Length	UPC
5520UE 008C500	Gray	Coil	500 ft	612825164050
5520UE 008U500	Gray	UnReel	500 ft	612825164081
5520UE 0081000	Gray	Reel	1,000 ft	612825164036
5520UE 008C1000	Gray	Coil	1,000 ft	612825164043
5520UE 008U1000	Gray	UnReel	1,000 ft	612825164067

© 2023 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or guality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.